

# Psychoedukation und Lernprozesse – Die Evaluation edukativer Maßnahmen bei chronischen Schmerzpatient\*innen

Mona Lange-von Szcutowski

## Literatur

- Barsky, A. J. (1995). Somatoform disorders and personality traits. *J Psychosom Res*, 39(4), 399-402.
- Bergmann, J. (2007). Health and clinical management--impact on clinical outcome. Findings from the section on health and clinical management. *Yearb Med Inform*, 30-33. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/17700901>.
- Bernal, P., Estroff, D. B., Abouadarham, J. F., Murphy, M., Keller, A., & Jellinek, M. S. (2000). Psychosocial morbidity: the economic burden in a pediatric health maintenance organization sample. *Arch Pediatr Adolesc Med*, 154(3), 261-266.
- Blyth, F. M., March, L. M., Brnabic, A. J., Jorm, L. R., Williamson, M., & Cousins, M. J. (2001). Chronic pain in Australia: a prevalence study. *Pain*, 89(2-3), 127-134.
- Breivik, H., Collett, B., Ventafridda, V., Cohen, R., & Gallacher, D. (2006). Survey of chronic pain in Europe: prevalence, impact on daily life, and treatment. *Eur J Pain*, 10(4), 287-333. doi:10.1016/j.ejpain.2005.06.009
- Cohen, P., Rogol, A. D., Deal, C. L., Saenger, P., Reiter, E. O., Ross, J. L., . . . participants, I. S. S. C. W. (2008). Consensus statement on the diagnosis and treatment of children with idiopathic short stature: a summary of the Growth Hormone Research Society, the Lawson Wilkins Pediatric Endocrine Society, and the European Society for Paediatric Endocrinology Workshop. *J Clin Endocrinol Metab*, 93(11), 4210-4217. doi:10.1210/jc.2008-0509
- Gobel, U., Schneider, D. T., Calaminus, G., Jurgens, H., Spaar, H. J., Sternschulte, W., . . . Harms, D. (2001). Multimodal treatment of malignant sacrococcygeal germ cell tumors: a prospective analysis of 66 patients of the German cooperative protocols MAKEI 83/86 and 89. *J Clin Oncol*, 19(7), 1943-1950.
- Grabe, H. J., Meyer, C., Hapke, U., Rumpf, H. J., Freyberger, H. J., Dilling, H., & John, U. (2003). Specific somatoform disorder in the general population. *Psychosomatics*, 44(4), 304-311.
- Hoffman, B. M., Papas, R. K., Chatkoff, D. K., & Kerns, R. D. (2007). Meta-analysis of psychological interventions for chronic low back pain. *Health Psychol*, 26(1), 1-9.
- Hoffmann-Riem, Ch. (1980): Die Sozialforschung einer interpretativen Soziologie. In: *KZfSS*, 32 (2), 339-371.
- Jacobson, L., Mariano, A. J., Chabal, C., Chancy, E. F., & Mar, C. (1996). What is adequate and appropriate pain treatment? *JAMA*, 275(17), 1310-1311.
- Kallmeyer, W. & Schütze, F. (1977): Zur Konstitution von Kommunikationsschemata der Sachverhaltsdarstellung. In: Wegner, D. (Hg.): *Gesprächsanalysen*. Hamburg:Buske,159-274.
- Melzack, R., & Wall, P. D. (1965). Pain mechanisms: a new theory. *Science*, 150(3699), 971-979.

doi:10.1126/science.150.3699.971

Merskey, H. (1994). Logic, truth and language in concepts of pain. *Qual Life Res*, 3 Suppl 1, S69-76.

Meyer, C., Rumpf, H. J., Hapke, U., Dilling, H., & John, U. (2000). [Lifetime prevalence of mental disorders in general adult population. Results of TACOS study]. *Nervenarzt*, 71(7), 535-542.

Reid, S., Crayford, T., Patel, A., Wessely, S., & Hotopf, M. (2003). Frequent attenders in secondary care: a 3-year follow-up study of patients with medically unexplained symptoms. *Psychol Med*, 33(3), 519-524.

Steinbrecher, N., Koerber, S., Frieser, D., & Hiller, W. (2011). The prevalence of medically unexplained symptoms in primary care. *Psychosomatics*, 52(3), 263-271.

Tunks, E. R., Weir, R., & Crook, J. (2008). Epidemiologic perspective on chronic pain treatment. *Can J Psychiatry*, 53(4), 235-242.

Turk, D. C., Monarch, E. S., & Williams, A. D. (2002). Cancer patients in pain: considerations for assessing the whole person. *Hematol Oncol Clin North Am*, 16(3), 511-525.

Turner, J. A., Holtzman, S., & Mancl, L. (2007). Mediators, moderators, and predictors of therapeutic change in cognitive-behavioral therapy for chronic pain. *Pain*, 127(3), 276-286.

van Geelen, S. M., Rydelius, P. A., & Hagquist, C. (2015). Somatic symptoms and psychological concerns in a general adolescent population: Exploring the relevance of DSM-5 somatic symptom disorder. *J Psychosom Res*, 79(4), 251-258.

Verhaak, P. F., Meijer, S. A., Visser, A. P., & Wolters, G. (2006). Persistent presentation of medically unexplained symptoms in general practice. *Fam Pract*, 23(4), 414-420.

Verhaak, P. F., Schellevis, F. G., Nuijen, J., & Volkers, A. C. (2006). Patients with a psychiatric disorder in general practice: determinants of general practitioners' psychological diagnosis. *Gen Hosp Psychiatry*, 28(2), 125-132.

Wachter, R. M. (2013). Personal accountability in healthcare: searching for the right balance. *BMJ Qual Saf*, 22(2), 176-180.

Wittchen, H. U., Muller, N., Pfister, H., Winter, S., & Schmidt-kunz, B. (1999). [Affective, somatoform and anxiety disorders in Germany--initial results of an additional federal survey of "psychiatric disorders"]. *Gesundheitswesen*, 61 Spec No, S216-222. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/10726424>.