

Anhaltende Trauerstörung: Merkmale, Diagnostik und Therapie einer neuen Diagnose in der ICD-11

Franziska Lechner-Meichsner

Literatur

American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Author.

American Psychiatric Association. (2022). *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition, Text Revision (DSM-5-TR)*. Author.

American Psychological Association. (2019). *Inventory of Complicated Grief (ICG)*.

Boelen, P. A., de Keijser, J., van den Hout, M. A. & van den Bout, J. (2007). Treatment of complicated grief: A comparison between cognitive-behavioral therapy and supportive counseling. *Journal of Consulting and Clinical Psychology*, 75 (2), 277–284.

Boelen, P. A. & Lenferink, L. I. (2021). Prolonged grief disorder in DSM-5-TR: Early predictors and longitudinal measurement invariance. *Australian & New Zealand Journal of Psychiatry*, 000486742110257.

Boelen, P. A. & Lenferink, L. I. M. (2020). Comparison of six proposed diagnostic criteria sets for disturbed grief. *Psychiatry Research*, 285, 112786.

Boelen, P. A., van de Schoot, R., van den Hout, M. A., de Keijser, J. & van den Bout, J. (2010). Prolonged Grief Disorder, depression, and posttraumatic stress disorder are distinguishable syndromes. *Journal of Affective Disorders*, 125 (1–3), 374–378.

Boelen, P. A., van den Hout, M. A. & van den Bout, J. (2006). A cognitive-behavioral conceptualization of complicated grief. *Clinical Psychology: Science and Practice*, 13 (2), 109–128.

Bonanno, G. A. & Malgaroli, M. (2019). Trajectories of grief: Comparing symptoms from the DSM-5 and ICD-11 diagnoses. *Depression and Anxiety*, 0 (0). Verfügbar unter: <https://doi.org/10.1002/da.22902> (31.08.2022).

Breen, L. J., Penman, E. L., Prigerson, H. G. & Hewitt, L. Y. (2015). Can grief be a mental disorder?: An exploration of public opinion. *Journal of Nervous & Mental Disease*, 203 (8), 569–573.

Brodbeck, J., Berger, T., Biesold, N., Rockstroh, F. & Znoj, H. J. (2019). Evaluation of a guided internet-based self-help intervention for older adults after spousal bereavement or separation/divorce: A randomised controlled trial. *Journal of Affective Disorders*, 252, 440–449.

Bryant, R. A., Andrew, E. & Korgaonkar, M. S. (2021). Distinct neural mechanisms of emotional processing in prolonged grief disorder. *Psychological Medicine*, 51 (4), 587–595.

Bryant, R. A., Bawaneh, A., Giardinelli, L., Awwad, M., Al-Hayek, H. & Akhtar, A. (2021). A prevalence assessment of prolonged grief disorder in Syrian refugees. *World Psychiatry*, 20 (2), 302–303.

Bryant, R. A., Edwards, B., Creamer, M., O'Donnell, M., Forbes, D., Felmingham, K. L., Silove, D., Steel, Z., McFarlane, A. C., van Hooff, M., Nickerson, A., & Hadzi-Pavlovic, D. (2019). A population study of prolonged grief in refugees. *Epidemiology and Psychiatric Sciences*, 1–7.

Bryant, R. A., Kenny, L., Joscelyne, A., Rawson, N., Maccallum, F., Cahill, C., Hopwood, S., Aderka, I., & Nickerson, A. (2014). Treating prolonged grief disorder: A randomized clinical trial. *JAMA Psychiatry*, 71 (12), 1332–1339.

- Comtesse, H., Vogel, A., Kersting, A., Rief, W., Steil, R. & Rosner, R. (2020). When does grief become pathological? Evaluation of the ICD-11 diagnostic proposal for prolonged grief in a treatment-seeking sample. *European Journal of Psychotraumatology*, 11 (1), 1694348.
- Currier, J. M., Neimeyer, R. A. & Berman, J. S. (2008). The effectiveness of psychotherapeutic interventions for bereaved persons: A comprehensive quantitative review. *Psychological Bulletin*, 134(5), 648–661.
- Djelantik, A. A. A. M. J., Smid, G. E., Mroz, A., Kleber, R. J. & Boelen, P. A. (2020). The prevalence of prolonged grief disorder in bereaved individuals following unnatural losses: Systematic review and meta regression analysis. *Journal of Affective Disorders*, 265, 146–156.
- Eisma, M. C. & Lenferink, L. I. M. (2018). Response to: Prolonged grief disorder for ICD-11: The primacy of clinical utility and international applicability. *European Journal of Psychotraumatology*, 9 (1), 1512249.
- Eisma, M. C., Boelen, P. A., van den Bout, J., Stroebe, W., Schut, H. A. W., Lancee, J. & Stroebe, M. S. (2015). Internet-based exposure and behavioral activation for complicated grief and rumination: A randomized controlled trial. *Behavior Therapy*, 46, 729–748.
- Eisma, M. C., Tamminga, A., Smid, G. E. & Boelen, P. A. (2021). Acute grief after deaths due to COVID-19, natural causes and unnatural causes: An empirical comparison. *Journal of Affective Disorders*, 278, 54–56.
- Fernández-Alcántara, M. & Zech, E. (2017). One or multiple Complicated Grief(s)? The role of kinship on grief reactions. *Clinical Psychological Science*, 5 (5), 851–857.
- Heeke, C., Kampisiou, C., Niemeyer, H. & Knaevelsrud, C. (2019). A systematic review and meta-analysis of correlates of prolonged grief disorder in adults exposed to violent loss. *European Journal of Psychotraumatology*, 10 (1), 1583524.
- Hinton, D. E., Nickerson, A. & Bryant, R. A. (2013). Prolonged grief in Cambodian refugees following genocide: Rebirth concerns and avoidance of reminders. *Journal of Loss and Trauma*, 18 (5), 444–460.
- Horowitz, M. J. (2011). *Stress response syndromes: PTSD, grief, adjustment, and dissociative disorders* (5th ed). Jason Aronson.
- Horowitz, M. J., Bonanno, G. A. & Holen, A. (1993). Pathological grief: Diagnosis and explanation.: *Psychosomatic Medicine*, 55 (3), 260–273.
- Johannsen, M., Damholdt, M. F., Zachariae, R., Lundorff, M., Farver-Vestergaard, I. & O'Connor, M. (2019). Psychological interventions for grief in adults: A systematic review and meta-analysis of randomized controlled trials. *Journal of Affective Disorders*, 253, 69–86.
- Killikelly, C. & Maercker, A. (2017). Prolonged grief disorder for ICD-11: The primacy of clinical utility and international applicability. *European Journal of Psychotraumatology*, 8 (Suppl 6), 1476441.
- Killikelly, C., Merzhvynska, M., Zhou, N., Stelzer, E.-M., Hyland, P., Rocha, J., Ben-Ezra, M. & Maercker, A. (2021). Examination of the new ICD-11 prolonged grief disorder guidelines across five international samples. *Clinical Psychology in Europe*, 3 (1), e4159.
- Killikelly, C., Ramp, M. & Maercker, A. (2021). Prolonged grief disorder in refugees from Syria: Qualitative analysis of culturally relevant symptoms and implications for ICD-11. *Mental Health, Religion & Culture*, 1–18.
- Killikelly, C., Zhou, N., Merzhvynska, M., Stelzer, E.-M., Dotschung, T., Rohner, S., Sun, L. H., & Maercker, A. (2020). Development of the international prolonged grief disorder scale for the ICD-11: Measurement of core symptoms and culture items adapted for chinese and german-speaking samples. *Journal of Affective Disorders*, 277, 568–576.

Latham, A. E. & Prigerson, H. G. (2004). Suicidality and bereavement: Complicated grief as psychiatric disorder presenting greatest risk for suicidality. *Suicide & Life-Threatening Behavior*, 34 (4), 350–362.

Lechner-Meichsner, F., Mauro, C., Skritskaya, N. A. & Shear, M. K. (2021). Change in avoidance and negative grief-related cognitions mediates treatment outcome in older adults with prolonged grief disorder. *Psychotherapy Research*, 1–13.

Lenferink, L. I. M., Eisma, M. C., Smid, G. E., de Keijser, J. & Boelen, P. A. (2022). Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). *Comprehensive Psychiatry*, 112, 152281.

Lobb, E. A., Kristjanson, L. J., Aoun, S. M., Monterosso, L., Halkett, G. K. B. & Davies, A. (2010). Predictors of complicated grief: A systematic review of empirical studies. *Death Studies*, 34 (8), 673–698.

Lumbeck, G., Brandstätter, M. & Geissner, E. (2012). Erstvalidierung der deutschen Version des „Inventory of Complicated Grief“ (ICG-D). *Zeitschrift für Klinische Psychologie und Psychotherapie: Forschung und Praxis*, 41 (4), 243–248.

Lundorff, M., Holmgren, H., Zachariae, R., Farver-Vestergaard, I. & O’Connor, M. (2017). Prevalence of prolonged grief disorder in adult bereavement: A systematic review and meta-analysis. *Journal of Affective Disorders*, 212, 138–149.

Maciejewski, P. K., Maercker, A., Boelen, P. A. & Prigerson, H. G. (2016). „Prolonged grief disorder“ and „persistent complex bereavement disorder“, but not „complicated grief“, are one and the same diagnostic entity: An analysis of data from the Yale Bereavement Study. *World Psychiatry: official journal of the World Psychiatric Association (WPA)*, 15 (3), 266–275.

Maciejewski, P. K., Zhang, B., Block, S. D. & Prigerson, H. G. (2007). An Empirical Examination of the Stage Theory of Grief. *JAMA*, 297 (7), 716.

Maercker, A., Brewin, C. R., Bryant, R. A., Cloitre, M., Reed, G. M., van Ommeren, M. et al. (2013). Proposals for mental disorders specifically associated with stress in the International Classification of Diseases-11. *Lancet*, 381, 1683–1685.

Mauro, C., Reynolds, C. F., Maercker, A., Skritskaya, N., Simon, N., Zisook, S., Lebowitz, B., Cozza, S. J. & Shear, M. K. (2019). Prolonged grief disorder: Clinical utility of ICD-11 diagnostic guidelines. *Psychological Medicine*, 49 (5), 861–867.

Mauro, C., Shear, M. K., Reynolds, C. F., Simon, N. M., Zisook, S., Skritskaya, N. et al. (2017). Performance characteristics and clinical utility of diagnostic criteria proposals in bereaved treatment-seeking patients. *Psychological Medicine*. Verfügbar unter: <https://doi.org/10.1017/S0033291716002749> (31.08.2022).

Nickerson, A., Liddell, B. J., Maccallum, F., Steel, Z., Silove, D. & Bryant, R. A. (2014). Posttraumatic stress disorder and prolonged grief in refugees exposed to trauma and loss. *BMC Psychiatry*, 14(1), 106.

Nielsen, M. K., Carlsen, A. H., Neergaard, M. A., Bidstrup, P. E. & Guldin, M.-B. (2018). Looking beyond the mean in grief trajectories: A prospective, population-based cohort study. *Social Science & Medicine*. Verfügbar unter: <https://doi.org/10.1016/j.socscimed.2018.10.007> (31.08.2022).

Piper, W. E., McCallum, M., Joyce, A. S., Rosie, J. S. & Ogrodniczuk, J. S. (2001). Patient Personality and Time-limited Group Psychotherapy for Complicated Grief. *International Journal of Group Psychotherapy*, 51 (4), 525–552.

- Prigerson, H. G., Boelen, P. A., Xu, J., Smith, K. V. & Maciejewski, P. K. (2021). Validation of the new DSM-5-TR criteria for prolonged grief disorder and the PG-13-Revised (PG-13-R) scale. *World Psychiatry*, 20 (1), 96–106.
- Prigerson, H. G., Horowitz, M. J., Jacobs, S. C., Parkes, C. M., Aslan, M., Goodkin, K. et al. (2009). Prolonged grief disorder: Psychometric validation of criteria proposed for DSM-V and ICD-11. *PLoS Medicine*, 6 (1–12), e1000121.
- Prigerson, H. G., Maciejewski, P. K., Reynolds, C. F., Bierhals, A. J., Newsom, J. T., Fasiczka, A. et al. (1995). Inventory of Complicated Grief: A scale to measure maladaptive symptoms of loss. *Psychiatry Research*, 59 (1–2), 65–79.
- Reynolds, C. F., Cozza, S. J. & Shear, M. K. (2017). Clinically relevant diagnostic criteria for a persistent impairing grief disorder: Putting patients first. *JAMA Psychiatry*. Verfügbar unter: <https://doi.org/10.1001/jamapsychiatry.2017.0290> (31.08.2022).
- Rosner, R., Bartl, H., Pfoh, G., Kotoučová, M. & Hagl, M. (2015). Efficacy of an integrative CBT for prolonged grief disorder: A long-term follow-up. *Journal of Affective Disorders*, 183, 106–112.
- Rosner, R. & Comtesse, H. (2019). Therapie der anhaltenden Trauerstörung. In A. Maercker (Hrsg.), *Traumafolgestörungen* (S. 379–391). Springer Berlin Heidelberg.
- Rosner, R., Comtesse, H., Vogel, A. & Doering, B. K. (2021). Prevalence of prolonged grief disorder. *Journal of Affective Disorders*, 287, 301–307.
- Rosner, R., Lumbeck, G. & Geissner, E. (2011). Effectiveness of an inpatient group therapy for comorbid complicated grief disorder. *Psychotherapy Research*, 21 (2), 210–218.
- Rosner, R., Pfoh, G., Kotoučová, M. & Hagl, M. (2014). Efficacy of an outpatient treatment for prolonged grief disorder: A randomized controlled clinical trial. *Journal of Affective Disorders*, 167, 56–63.
- Rosner, R., Pfoh, G., Rojas, R., Brandstätter, M., Rossi, R., Lumbeck, G. et al. (2015). *Anhaltende Trauerstörung: Manuale für die Einzel- und Gruppentherapie*. Göttingen: Hogrefe.
- Rosner, R., Rimane, E., Vogel, A., Rau, J. & Hagl, M. (2018). Treating prolonged grief disorder with prolonged grief-specific cognitive behavioral therapy: Study protocol for a randomized controlled trial. *Trials*, 19 (1), 241.
- Shear, M. K., Frank, E., Houck, P. R. & Reynolds, C. F. (2005). Treatment of complicated grief: A randomized controlled trial. *JAMA: Journal of the American Medical Association*, 293 (21), 2601–2608.
- Shear, M. K., & Gribbin Bloom, C. (2017). Complicated grief treatment: An evidence-based approach to grief therapy. *Journal of Rational-Emotive & Cognitive-Behavior Therapy*, 35, 6–25.
- Shear, M. K., Monk, T., Houck, P., Melhem, N., Frank, E., Reynolds, C., & Sillowash, R. (2007). An attachment-based model of complicated grief including the role of avoidance. *European Archives of Psychiatry and Clinical Neuroscience*, 257 (8), 453–461.
- Shear, M. K., Reynolds, C. F., Simon, N. M., Zisook, S., Wang, Y., Mauro, C. et al. (2016). Optimizing treatment of complicated grief: A randomized clinical trial. *JAMA Psychiatry*, 73 (7), 685–694.
- Shear, M. K., Simon, N., Wall, M., Zisook, S., Neimeyer, R., Duan, N. et al. (2011). Complicated grief and related bereavement issues for DSM-5. *Depression and Anxiety*, 28 (2), 103–117.
- Shear, M. K., Wang, Y., Skritskaya, N., Duan, N., Mauro, C., & Ghesquiere, A. (2014). Treatment of complicated grief in elderly persons: A randomized clinical trial. *JAMA Psychiatry*, 71 (11), 1287–1295.

- Simon, N. M., Shear, M. K., Thompson, E. H., Zalta, A. K., Perlman, C., Reynolds, C. F. et al. (2007). The prevalence and correlates of psychiatric comorbidity in individuals with complicated grief. *Comprehensive Psychiatry*, 48 (5), 395–399.
- Simon, N. M., Wall, M. M., Keshaviah, A., Dryman, M. T., LeBlanc, N. J. & Shear, M. K. (2011). Informing the symptom profile of complicated grief. *Depression and Anxiety*, 28 (2), 118–126.
- Stelzer, E.-M., Höltge, J., Zhou, N., Maercker, A. & Killikelly, C. (2020). Cross-cultural generalizability of the ICD-11 PGD symptom network: Identification of central symptoms and culturally specific items across German-speaking and Chinese bereaved. *Comprehensive Psychiatry*, 103, 152211.
- Stroebe, M. & Schut, H. (2010). The dual process model of coping with bereavement: A decade on. *Omega (Westport)*, 61 (4), 273–289.
- Stroebe, M., Schut, H. & Boerner, K. (2010). Continuing bonds in adaptation to bereavement: Toward theoretical integration. *Clin Psychol Rev*, 30 (2), 259–268. <https://doi.org/10.1016/j.cpr.2009.11.007>
- Sveen, J., Bergh Johannesson, K., Cernvall, M. & Arnberg, F. K. (2018). Trajectories of prolonged grief one to six years after a natural disaster. *PLOS ONE*, 13 (12), e0209757.
- Trembl, J., Kaiser, J., Plexnies, A. & Kersting, A. (2020). Assessing prolonged grief disorder: A systematic review of assessment instruments. *Journal of Affective Disorders*, 274, 420–434.
- Trembl, J., Nagl, M., Linde, K., Kündiger, C., Peterhänsel, C. & Kersting, A. (2021). Efficacy of an Internet-based cognitive-behavioural grief therapy for people bereaved by suicide: A randomized controlled trial. *European Journal of Psychotraumatology*, 12 (1), 1926650.
- Wagner, B., Knaevelsrud, C. & Maercker, A. (2006). Internet-based cognitive-behavioral therapy for complicated grief: A randomized controlled trial. *Death Studies*, 30 (5), 429–453.
- Wakefield, J. C. (2012). Should Prolonged Grief Be Reclassified as a Mental Disorder in DSM-5?: Reconsidering the Empirical and Conceptual Arguments for Complicated Grief Disorder. *The Journal of Nervous and Mental Disease*, 200 (6), 499–511.
- Wittouck, C., Van Aultreuve, S., De Jaegere, E., Portzky, G., & van Heeringen, K. (2011). The prevention and treatment of complicated grief: A meta-analysis. *Clinical Psychology Review*, 31 (1), 69–78.
- World Health Organization. (2019). International statistical classification of diseases and related health problems (11th Revision). Verfügbar unter: <https://icd.who.int/browse11/l-m/en> (31.08.2022).
- Zhou, N., Wen, J., Stelzer, E.-M., Killikelly, C., Yu, W., Xu, X. et al. (2020). Prevalence and associated factors of prolonged grief disorder in Chinese parents bereaved by losing their only child. *Psychiatry Research*, 284, 112766.