

Wann ist Trauer eine psychische Erkrankung?

Trauer als diagnostisches Kriterium in der ICD-11 und im DSM-5

Brigitte Wagner

Literatur

- American Psychiatric Association (APA) (2013). *Diagnostic and statistical manual of mental disorders (DSM-5®)*. Arlington (VA): American Psychiatric Association Publishing.
- Boelen, P. A. & Prigerson, H. G. (2007). The influence of symptoms of prolonged grief disorder, depression, and anxiety on quality of life among bereaved adults. *European Archives of Psychiatry and Clinical Neuroscience*, 257 (8), 444-452.
- Boelen, P. A., van de Schoot, R., van den Hout, M. A., de Keijser, J. & van den Bout, J. (2010). Prolonged Grief Disorder, depression, and posttraumatic stress disorder are distinguishable syndromes. *Journal of Affective Disorders*, 125 (1), 374-378.
- Boelen, P. A. & van den Bout, J. (2005). Complicated grief, depression, and anxiety as distinct postloss syndromes: A confirmatory factor analysis study. *American Journal of Psychiatry*, 162 (11), 2175-2177.
- Boelen, P. A., van den Bout, J. & de Keijser, J. (2003). Traumatic grief as a disorder distinct from bereavement-related depression and anxiety: a replication study with bereaved mental health care patients. *The American Journal of Psychiatry*, 160 (7), 1339-1341.
- Bonanno, G. A., Wortman, C. B., Lehman, D. R., Tweed, R. G., Haring, M., Sonnega, J. et al. (2002). Resilience to loss and chronic grief: a prospective study from preloss to 18-months postloss. *Journal of Personality and Social Psychology*, 83 (5), 1150.
- Bonanno, G. A., Wortman, C. B. & Nesse, R. M. (2004). Prospective patterns of resilience and maladjustment during widowhood. *Psychology and Aging*, 19 (2), 260.
- Bowlby, J. (1980). *Attachment and loss (Vol. 3)*. New York: Basic books.
- Buckley, T., Mihailidou, A. S., Bartrop, R., McKinley, S., Ward, C., Morel-Kopp, M.-C. et al. (2011). Haemodynamic changes during early bereavement: potential contribution to increased cardiovascular risk. *Heart, Lung & Circulation*, 20 (2), 91-98. Verfügbar unter: <http://doi.org/10.1016/j.hlc.2010.10.073> [25.07.2016].
- Bui, E., Nadal-Vicens, M. & Simon, N. M. (2012). Pharmacological approaches to the treatment of complicated grief: rationale and a brief review of the literature. *Dialogues Clin Neurosci*, 14 (2), 149-157.

- Bylund-Grenklo, T., Fürst, C. J., Nyberg, T., Steineck, G. & Kreicbergs, U. (2016). Unresolved grief and its consequences. A nationwide follow-up of teenage loss of a parent to cancer 6-9 years earlier. *Supportive Care in Cancer*, 1-9.
- Currier, J. M., Neimeyer, R. A. & Berman, J. S. (2008). The effectiveness of psychotherapeutic interventions for bereaved persons: a comprehensive quantitative review. *Psychological Bulletin*, 134 (5), 648.
- Dijkstra, I. C. (2000). Living with loss: Parents grieving for the death of their child.
- Dyregrov, K., Dyregrov, A. & Kristensen, P. (2014). Traumatic bereavement and terror: the psychosocial impact on parents and siblings 1.5 years after the July 2011 terror killings in Norway. *Journal of Loss and Trauma*, (ahead-of-print), 1-21.
- Dyregrov, K., Nordanger, D. & Dyregrov, A. (2003). Predictors of psychosocial distress after suicide, SIDS and accidents. *Death Studies*, 27 (2), 143-165.
- Fox, J. & Jones, K. D. (2013). DSM-5 and Bereavement: The Loss of Normal Grief? *Journal of Counseling & Development*, 91 (1), 113-119.
- Herberman Mash, H. B., Fullerton, C. S. & Ursano, R. J. (2013). Complicated grief and bereavement in young adults following close friend and sibling loss. *Depression and Anxiety*, 30 (12), 1202-1210. Verfügbar unter: <http://doi.org/10.1002/da.22068> [25.07.2016].
- Holland, J. M., Currier, J. M. & Gallagher-Thompson, D. (2009). Outcomes from the Resources for Enhancing Alzheimer's Caregiver Health (REACH) program for bereaved caregivers. *Psychology and Aging*, 24 (1), 190-202. Verfügbar unter: <http://doi.org/10.1037/a0014303> [25.07.2016]
- Horowitz, M. J., Bonanno, G. A. & Holen, A. (1993). Pathological grief: diagnosis and explanation. *Psychosomatic Medicine*, 55 (3), 260-273.
- Horowitz, M. J., Siegel, B., Holen, A., Bonanno, G. A., Milbrath, C. & Stinson, C. H. (1997). Diagnostic criteria for complicated grief disorder. *The American Journal of Psychiatry*, 154 (7), 904-910.
- Jordan, A. H. & Litz, B. T. (2014). Prolonged grief disorder: Diagnostic, assessment, and treatment considerations. *Professional Psychology: Research and Practice*, 45 (3), S. 180.
- Kaplow, J. B., Layne, C. M. & Pynoos, R. S. (2014). Persistent Complex Bereavement Disorder as a call to action: using a proposed DSM-5 diagnosis to advance the field of childhood grief. *Traumatic Stress Points*, 28 (1). Verfügbar unter: www.academia.edu/5881598/Persistent_Complex_Bereavement_Disorder_as_a_Call_to_Action_Using_a_Proposed_DSM-5_Diagnosis_to_Advance_the_Field_of_Childhood_Grief [26.08.2016]
- Keeley, J. W., Reed, G. M., Roberts, M. C., Evans, S. C., Robles, R., Matsumoto, C. et al. (2015). Disorders specifically associated with stress: a case-controlled field study for ICD-11 mental and behavioural disorders. *International Journal of Clinical and Health Psychology*. 109-127.

- Kersting, A., Brähler, E., Glaesmer, H. & Wagner, B. (2011). Prevalence of complicated grief in a representative population-based sample. *Journal of Affective Disorders*, 131 (1-3), 339-343.
- Kübler-Ross, E. (1969). *On death and dying*. New York: Macmillan.
- Lannen, P. K., Wolfe, J., Prigerson, H. G., Onelov, E. & Kreicbergs, U. C. (2008). Unresolved grief in a national sample of bereaved parents: impaired mental and physical health 4 to 9 years later. *Journal of Clinical Oncology*, 26 (36), 5870-5876.
- Lichtenthal, W. G., Cruess, D. G. & Prigerson, H. G. (2004). A case for establishing complicated grief as a distinct mental disorder in DSM-V. *Clinical Psychology Review*, 24(6), 637-662. Verfügbar unter: <http://doi.org/10.1016/j.cpr.2004.07.002> [25.07.2016].
- Lin, S. X. & Lasker, J. N. (1996). Patterns of grief reaction after pregnancy loss. *American Journal of Orthopsychiatry*, 66 (2), 262-271.
- Maciejewski, P. K., Zhang, B., Block, S. D. & Prigerson, H. G. (2007). An empirical examination of the stage theory of grief. *JAMA: The Journal of the American Medical Association*, 297 (7), 716-723. Verfügbar unter: <http://doi.org/10.1001/jama.297.7.716> [25.07.2016].
- Maercker, A., Brewin, C. R., Bryant, R. A., Cloutre, M., Ommeren, M., Jones, L. M. et al. (2013a). Diagnosis and classification of disorders specifically associated with stress: proposals for ICD-11. *World Psychiatry*, 12 (3), 198-206.
- Maercker, A., Brewin, C. R., Bryant, R. A., Cloutre, M., Reed, G. M., Ommeren, M. et al. (2013b). Proposals for mental disorders specifically associated with stress in the International Classification of Diseases-11. *Lancet*. Verfügbar unter: [http://doi.org/10.1016/S0140-6736\(12\)62191-6](http://doi.org/10.1016/S0140-6736(12)62191-6) [25.07.2016].
- Melhem, N. M., Porta, G., Shamseddeen, W., Walker Payne, M. & Brent, D. A. (2011). Grief in children and adolescents bereaved by sudden parental death. *Archives of General Psychiatry*, 68 (9), 911.
- Neimeyer, R. A. (2000). Searching for the meaning of meaning: Grief therapy and the process of reconstruction. *Death Studies*, 24 (6), 541-558.
- O'Connor, M.-F. (2012). Immunological and neuroimaging biomarkers of complicated grief. *Dialogues in Clinical Neuroscience*, 14 (2), 141-148.
- O'Connor, M.-F. & Arizmendi, B. J. (2013). Neuropsychological Correlates of Complicated Grief in Older Spousally Bereaved Adults. *The Journals of Gerontology. Series B, Psychological Sciences and Social Sciences*. Verfügbar unter: <http://doi.org/10.1093/geronb/gbt025> [25.07.2016].
- Prigerson, H. G., Bierhals, A. J., Kasl, S. V., Reynolds, C. F., 3rd, Shear, M. K., Day, N. et al. (1997). Traumatic grief as a risk factor for mental and physical morbidity. *The American Journal of Psychiatry*, 154 (5), 616-623.
- Prigerson, H. G., Horowitz, M. J., Jacobs, S. C., Parkes, C. M., Aslan, M., Goodkin, K. et al. (2009). Prolonged grief disorder: Psychometric validation of criteria proposed for DSM-V and ICD-11. *PLoS Medicine*, 6 (8), e1000121.

- Prigerson, H., Maciejewski, P. K., Reynolds, C. F., 3rd, Bierhals, A. J., Newsom, J. T., Fasiczka, A. et al. (1995). Inventory of Complicated Grief: a scale to measure maladaptive symptoms of loss. *Psychiatry Research*, 59 (1-2), 65-79.
- Reynolds III, C. F., Miller, M. D., Pasternak, R. E., Frank, E., Perel, J. M., Cornes, C. et al. (1999). Treatment of bereavement-related major depressive episodes in later life: a controlled study of acute and continuation treatment with nortriptyline and interpersonal psychotherapy. *American Journal of Psychiatry*. 202-208.
- Rostila, M., Saarela, J. & Kawachi, I. (2013a). Fatal stroke after the death of a sibling: a nationwide follow-up study from Sweden. *PloS One*, 8 (2), e56994. Verfügbar unter: <http://doi.org/10.1371/journal.pone.0056994> [25.07.2016].
- Rostila, M., Saarela, J. & Kawachi, I. (2013b). Suicide following the death of a sibling: a nationwide follow-up study from Sweden. *BMJ Open*, 3 (4).
- Schut, H., Stroebe, M. S., Van den Bout, J. & Terheggen, M. (2001). The efficacy of bereavement interventions: Determining who benefits. In *Handbook of bereavement research: Consequences, coping, and care* (pp. 705-737). Washington, DC, US: American Psychological Association.
- Shear, M. K., Simon, N., Wall, M., Zisook, S., Neimeyer, R., Duan, N. et al. (2011). Complicated grief and related bereavement issues for DSM-5. *Depression and Anxiety*, 28 (2), 103-117. Verfügbar unter: <http://doi.org/10.1002/da.20780> [25.07.2016].
- Simon, N. M., Wall, M. M., Keshaviah, A., Dryman, M. T., LeBlanc, N. J. & Shear, M. K. (2011). Informing the symptom profile of complicated grief. *Depression and Anxiety*, 28 (2), 118-126. Verfügbar unter: <http://doi.org/10.1002/da.20775> [25.07.2016].
- Stroebe, M. S. (1994). The broken heart phenomenon: an examination of the mortality of bereavement. *Journal of Community & Applied Social Psychology*, 4 (1), 47-61.
- Stroebe, M. & Schut, H. (1999). The dual process model of coping with bereavement: rationale and description. *Death Studies*, 23(3), 197-224. Verfügbar unter: <http://doi.org/10.1080/074811899201046> [25.07.2016].
- Wagner, B. (2013a). Diagnose der komplizierten Trauer. In *Komplizierte Trauer* (pp. 13-31). Heidelberg: Springer.
- Wagner, B. (2013b). Wirksamkeit von Trauerinterventionen. In *Komplizierte Trauer* (pp. 87-96). Heidelberg: Springer.
- Wakefield, J. C. (2012). Should prolonged grief be reclassified as a mental disorder in DSM-5?: reconsidering the empirical and conceptual arguments for complicated grief disorder. *The Journal of Nervous and Mental Disease*, 200 (6), 499-511.
- Wakefield, J. C. (2013). Is complicated/prolonged grief a disorder? *Complicated Grief: Scientific Foundations for Health Care Professionals*, 99.
- Wittouck, C., Van Autreve, S., De Jaegere, E., Portzky, G. & van Heeringen, K. (2011). The prevention and treatment of complicated grief: a meta-analysis. *Clinical Psychology Review*, 31 (1), 69-78.

Worden, J. W. (1991). *Grief counselling and grief therapy: a handbook for the mental health professional*. London: Routledge.

Zisook, S., Iglewicz, A., Avanzino, J., Maglione, J., Glorioso, D., Zetumer, S. et al. (2014). Bereavement: course, consequences, and care. *Current Psychiatry Reports*, 16 (10), 1-10.

Zisook, S. & Kendler, K. S. (2007). Is bereavement-related depression different than non-bereavement-related depression? *Psychological Medicine*, 37 (6), 779-794. Verfügbar unter: <http://doi.org/10.1017/S0033291707009865> [25.07.2016].