

# Männer in suizidalen Krisen

Ansätze für genderspezifische Suizidprävention und psychosoziale Versorgung

Laura Hofmann, Heide Glaesmer, Birgit Wagner & Cora Spahn

## Literatur

- Arensman, E., Coffey, C., Griffin, E., Van Audenhove, C., Scheerder, G., Gusmao, R. et al. (2016). Effectiveness of Depression-Suicidal Behaviour Gatekeeper Training among police officers in three European regions: Outcomes of the Optimising Suicide Prevention Programmes and Their Implementation in Europe (OSPI-Europe) study. *International Journal of Social Psychiatry*, 62 (7), 651–660.
- Bachmann, S. (2018). Epidemiology of Suicide and the Psychiatric Perspective. *International Journal of Environmental Research and Public Health*, 15 (7). Verfügbar unter: <https://doi.org/10.3390/ijerph15071425> (12.09.2023).
- Baker, P. (2020). Barber shops and male mental health. *Trends in Urology and Men's Health*. Verfügbar unter: <https://doi.org/10.1002/tre.0030003> (12.09.2023).
- Bedi, R. P. & Richards, M. (2011). What a man wants: The male perspective on therapeutic alliance formation. *Psychotherapy*, 48, 381–390.
- Berardelli, I., Rogante, E., Sarubbi, S., Erbuto, D., Cifrodelli, M., Concolato, C. et al. (2022). Is Lethality Different between Males and Females? Clinical and Gender Differences in Inpatient Suicide Attempters. *International Journal of Environmental Research and Public Health*, 19 (20). Verfügbar unter: <https://doi.org/10.3390/ijerph192013309> (12.09.2023).
- Bilsker, D. & White, J. (2011). The silent epidemic of male suicide. *BC Medical Journal*, 53 (10), 529–534.
- Bretschneider, J., Kuhnert, R. & Hapke, U. (2017). Depressive Symptomatik bei Erwachsenen in Deutschland. *Journal of Health Monitoring · 2017* 2 (3), 81–88.
- Calati, R. & Courtet, P. (2016). Is psychotherapy effective for reducing suicide attempt and non-suicidal self-injury rates? Meta-analysis and meta-regression of literature data. *Journal of Psychiatric Research*, 79, 8–20.
- Cavanagh, A., Wilson, C. J., Kavanagh, D. J. & Caputi, P. (2017). Differences in the Expression of Symptoms in Men Versus Women with Depression: A Systematic Review and Meta-analysis. *Harvard Review of Psychiatry*, 25 (1), 29–38.
- Chiu, H. & Tsoh, J. (2013). Suicide and attempted suicide in older people. In T. Dening, A. Thomas, R. Stewart & J.-P. Taylor, *Oxford textbook of old age psychiatry* (2nd ed.) (p. 571–579). New York: Oxford University Press.
- Chung, D. T., Ryan, C. J., Hadzi-Pavlovic, D., Singh, S. P., Stanton, C. & Large, M. M. (2017). Suicide Rates After Discharge From Psychiatric Facilities: A Systematic Review and Meta-analysis. *JAMA Psychiatry*, 74 (7), 694–702.
- Coles, R., Watkins, F., Swami, V., Jones, S., Woolf, S. & Stanistreet, D. (2010). What men really want: a qualitative investigation of men's health needs from the Halton and St Helens Primary Care Trust men's health promotion project. *British Journal of Health Psychology*, 15 (4), 921–939.

- Conner, K. R., Huguet, N., Caetano, R., Giesbrecht, N., McFarland, B. H., Nolte, K. B. et al. (2014). Acute use of alcohol and methods of suicide in a US national sample. *American Journal of Public Health* 104 (1), 171–178.
- Crump, C., Sundquist, K., Sundquist, J. & Winkleby, M. A. (2014). Sociodemographic, psychiatric and somatic risk factors for suicide: a Swedish national cohort study. *Psychological Medicine*, 44 (2), 279–289.
- Czaplicki, A. & Hegerl, U. (2022). Schwierige Überzeugungsarbeit. *Prävention und Gesundheitsförderung*, 18, 364–369.
- de Beurs, D. P., de Groot, M. H., de Keijser, J., Mokkenstorm, J., van Duijn, E., de Winter, R. F. et al. (2015). The effect of an e-learning supported Train-the-Trainer programme on implementation of suicide guidelines in mental health care. *Journal of Affective Disorders*, 175, 446–453.
- Destatis. (2023). Suizide in Deutschland. Verfügbar unter: <https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Gesundheit/Todesursachen/Tabellen/suizide.html> (13.09.2023).
- Donker, T., Batterham, P. J., Van Orden, K. A. & Christensen, H. (2014). Gender-differences in risk factors for suicidal behaviour identified by perceived burdensomeness, thwarted belongingness and acquired capability: cross-sectional analysis from a longitudinal cohort study. *BMC Psychology*, 2 (1), 20. Verfügbar unter: <https://doi.org/10.1186/2050-7283-2-20> (13.09.2023).
- Eggenberger, L., Fordschmid, C., Ludwig, C., Weber, S., Grub, J., Komlenac, N. et al. (2021). Men's Psychotherapy Use, Male Role Norms, and Male-Typical Depression Symptoms: Examining 716 Men and Women Experiencing Psychological Distress. *Behavioral Sciences* 11 (6). Verfügbar unter: <https://doi.org/10.3390/bs11060083> (12.09.2023).
- Franklin, J. C., Ribeiro, J. D., Fox, K. R., Bentley, K. H., Kleiman, E. M., Huang, X. et al. (2017). Risk factors for suicidal thoughts and behaviors: A meta-analysis of 50 years of research. *Psychological Bulletin*, 143 (2), 187–232.
- Ghoncheh, R., Gould, M. S., Twisk, J. W., Kerkhof, A. J. & Koot, H. M. (2016). Efficacy of Adolescent Suicide Prevention E-Learning Modules for Gatekeepers: A Randomized Controlled Trial. *JMIR Journal of Medical Internet Research Mental Health*, 3 (1). Verfügbar unter: [10.2196/mental.4614](https://doi.org/10.2196/mental.4614) (13.09.2023).
- Good, G. E. & Robertson, J. M. (2010). To accept a pilot? Addressing men's ambivalence and altering their expectancies about therapy. *Psychotherapy*, 47 (3), 306–315.
- Grace, B., Richardson, N. & Carroll, P. (2018). ". . . If You're Not Part of the Institution You Fall by the Wayside": Service Providers' Perspectives on Moving Young Men From Disconnection and Isolation to Connection and Belonging. *American Journal of Men's Health*, 12 (2), 252–264.
- Hamdi, E., Price, S., Qassem, T., Amin, Y. & Jones, D. (2008). Suicides not in contact with mental health services: Risk indicators and determinants of referral. *Journal of Mental Health*, 17 (4), 398–409.
- Hofmann, L., Glaesmer, H., Przyrembel, M. & Wagner, B. (2021). An Evaluation of a Suicide Prevention E-Learning Program for Police Officers (COPS): Improvement in Knowledge and Competence. *Frontiers in Psychiatry*, 12. Verfügbar unter: <https://doi.org/10.3389/fpsyg.2021.770277> (13.09.2023).
- Hofmann, L. & Wagner, B. (2023). Men's Behavior and Communication in the Days prior to a Suicide – A Psychological Autopsy Study. Under Review.
- Holmes, G., Clacy, A., Hermens, D. F. & Lagopoulos, J. (2021). The Long-Term Efficacy of Suicide Prevention Gatekeeper Training: A Systematic Review. *Archives of Suicide Research*, 25 (2), 177–207.

- Keil, J., Brendler, V., Sachse, C., Zülke, A., Zeynalova, S., Engel, C. et al. (2020). Gender-Specific Differences in the Utilization of Health Care Services in an Urban Population Sample. *Gesundheitswesen*, 82 (3). Verfügbar unter: e17-e23. 10.1055/a-0820-3584 (20.07.2023).
- King, K., Schlichthorst, M., Keogh, L., Reifels, L., Spittal, M. J., Phelps, A. et al. (2018). Can Watching a Television Documentary Change the Way Men View Masculinity? *The Journal of Men's Studies*, 27 (3), 287–306.
- King, K., Schlichthorst, M., Turnure, J., Phelps, A., Spittal, M. J. & Pirkis, J. (2019). Evaluating the effectiveness of a website about masculinity and suicide to prompt help-seeking. *Health Promotion Journal of Australia*, 30 (3), 381–389.
- Ko, J., Frey, J. J. & Harrington, D. (2019). Preventing Suicide Among Working-Age Adults: The Correlates of Help-Seeking Behavior. *Inquiry*, 56. Verfügbar unter: <https://doi.org/10.1177/0046958019850> (12.09.2023).
- Kölves, K., Koo, Y. W. & de Leo, D. (2020). A drink before suicide: analysis of the Queensland Suicide Register in Australia. *Epidemiology and Psychiatric Sciences*, 29. Verfügbar unter: 10.1017/s2045796020000062 (12.09.2023).
- Kuramoto-Crawford, S. J., Han, B. & McKeon, R. T. (2017). Self-Reported Reasons for Not Receiving Mental Health Treatment in Adults With Serious Suicidal Thoughts. *The Journal of clinical psychiatry*, 78 (6), e631–e637.
- Luoma, J. B., Martin, C. E. & Pearson, J. L. (2002). Contact with mental health and primary care providers before suicide: a review of the evidence. *American Journal of Psychiatry*, 159 (6), 909–916.
- Mackenzie, C. S., Visperas, A., Ogrodniczuk, J. S., Oliffe, J. L. & Nurmi, M. A. (2019). Age and sex differences in self-stigma and public stigma concerning depression and suicide in men. *Stigma and Health*, 4, 233–241.
- Martin, L. A., Neighbors, H. W. & Griffith, D. M. (2013). The experience of symptoms of depression in men vs women: analysis of the National Comorbidity Survey Replication. *JAMA Psychiatry*, 70 (10), 1100–1106.
- Mergl, R., Koburger, N., Heinrichs, K., Székely, A., Tóth, M. D., Coyne, J. et al. (2015). What Are Reasons for the Large Gender Differences in the Lethality of Suicidal Acts? An Epidemiological Analysis in Four European Countries. *PLoS One*, 10 (7). Verfügbar unter: <https://doi.org/10.1371/journal.pone.0129062> (12.09.2023).
- Möller-Leimkühler, A. M. (2008). Depression – überdiagnostiziert bei Frauen, unterdiagnostiziert bei Männern? *Der Gynäkologe*, 41 (5), 381–388.
- Möller-Leimkühler, A. M., Jackl, A. & Weissbach, L. (2021). Gendersensitives Depressionsscreening (GSDS) – Befunde zur weiteren Validierung eines neuen Selbstbeurteilungsinstruments. *Psychiatrische Praxis*, 49 (07), 367–374.
- Möller-Leimkühler, A. M. & Mühleck, J. (2020). Konstruktion und vorläufige Validierung eines gendersensitiven Depressionsscreenings (GSDS). *Psychiatrische Praxis*, 47 (02), 79–86.
- Ogrodniczuk, J., Oliffe, J. & Beharry, J. (2018). HeadsUpGuys: Canadian online resource for men with depression. *Canadian Family Physician*, 64 (2), 93–94.
- Oliffe, J. L., Ogrodniczuk, J. S., Gordon, S. J., Creighton, G., Kelly, M. T., Black, N. et al. (2016). Stigma in Male Depression and Suicide: A Canadian Sex Comparison Study. *Community Mental Health Journal*, 52 (3), 302–310.

- Pirkis, J., Rossetto, A., Nicholas, A., Ftanou, M., Robinson, J. & Reavley, N. (2019). Suicide Prevention Media Campaigns: A Systematic Literature Review. *Health Communication*, 34 (4), 402–414.
- Quinnett, P. (2007). QPR Gatekeeper Training for Suicide Prevention: The Model, Theory and Research.
- Rice, S. M., Oliffe, J. L., Kealy, D., Seidler, Z. E. & Ogrodniczuk, J. S. (2020). Men's Help-Seeking for Depression: Attitudinal and Structural Barriers in Symptomatic Men. *Journal of Primary Care & Community Health*, 11. Verfügbar unter: doi.org/10.1177/2150132720921686 (12.09.2023).
- Richardson, C., Robb, K. A., McManus, S. & O'Connor, R. C. (2022). Psychosocial factors that distinguish between men and women who have suicidal thoughts and attempt suicide: findings from a national probability sample of adults. *Psychological Medicine*, 53 (7), 1–9.
- Richardson, C., Robb, K. A. & O'Connor, R. C. (2021). A systematic review of suicidal behaviour in men: A narrative synthesis of risk factors. *Social Science & Medicine*, 276. Verfügbar unter: doi.org/10.1016/j.socscimed.2021.113831 (12.09.2023).
- Rosen, M. R., Michael, K. D. & Jameson, J. P. (2022). CALM gatekeeper training is associated with increased confidence in utilizing means reduction approaches to suicide prevention among college resident assistants. *Journal of American College Health*, 70 (2), 501–508.
- Schaffer, A., Sinyor, M., Kurdyak, P., Vigod, S., Sareen, J., Reis, C. et al. (2016). Population-based analysis of health care contacts among suicide decedents: identifying opportunities for more targeted suicide prevention strategies. *World Psychiatry*, 15 (2), 135–145.
- Schlichthorst, M., King, K., Spittal, M., Reifels, L., Phelps, A. & Pirkis, J. (2018). Using a television documentary to prevent suicide in men and boys. *Australasian Psychiatry*, 26 (2), 160–165.
- Seidler, Z. E., Rice, S. M., Kealy, D., Oliffe, J. L. & Ogrodniczuk, J. S. (2020). Once bitten, twice shy: Dissatisfaction with previous therapy and its implication for future help-seeking among men. *The International Journal of Psychiatry in Medicine*, 55 (4), 255–263.
- Seidler, Z. E., Rice, S. M., Ogrodniczuk, J. S., Oliffe, J. L. & Dhillon, H. M. (2018a). Engaging Men in Psychological Treatment: A Scoping Review. *American Journal of Men's Health*, 12 (6), 1882–1900.
- Seidler, Z. E., Rice, S. M., Oliffe, J. L., Fogarty, A. S. & Dhillon, H. M. (2018b). Men In and Out of Treatment for Depression: Strategies for Improved Engagement. *Australian Psychologist*, 53 (5), 405–415.
- Seidler, Z. E., Wilson, M. J., Owen, J., Oliffe, J. L., Ogrodniczuk, J. S., Kealy, D. et al. (2022). Teaching Gender Competency with Men in Mind: Foundations of an Online Training Program for Mental Health Practitioners. *The Journal of Men's Studies*, 30 (1), 111–131.
- Sileo, K. M. & Kershaw, T. S. (2020). Dimensions of Masculine Norms, Depression, and Mental Health Service Utilization: Results From a Prospective Cohort Study Among Emerging Adult Men in the United States. *American Journal of Men's Health*, 14 (1). Verfügbar unter: 10.1177/1557988320906980 (12.09.2023).
- Sobanski, T., Josfeld, S., Peikert, G. & Wagner, G. (2021). Psychotherapeutic interventions for the prevention of suicide re-attempts: a systematic review. *Psychological Medicine*, 51 (15), 2525–2540.
- Struszczynk, S., Galdas, P. M. & Tiffin, P. A. (2019). Men and suicide prevention: a scoping review. *Journal of Mental Health*, 28 (1), 80–88.

- Tighe, J. & McKay, K. (2012). Alive and Kicking Goals!: Preliminary findings from a Kimberley suicide prevention program. *Advances in Mental Health*, 10 (3), 240–245.
- Till, B., Tran, U. S., Voracek, M. & Niederkrotenthaler, T. (2017). Beneficial and harmful effects of educative suicide prevention websites: randomised controlled trial exploring Papageno v. Werther effects. *British Journal of Psychiatry*, 211 (2), 109–115.
- Vogel, D. L., Heimerdinger-Edwards, S. R., Hammer, J. H. & Hubbard, A. (2011). "Boys don't cry": examination of the links between endorsement of masculine norms, self-stigma, and help-seeking attitudes for men from diverse backgrounds. *Journal of Counseling Psychology*, 58(3), 368–382.
- Walther, A., Grub, J., Ehrlert, U., Wehrli, S., Rice, S., Seidler, Z. E. et al. (2021). Male depression risk, psychological distress, and psychotherapy uptake: Validation of the German version of the male depression risk scale. *Journal of Affective Disorders Reports*, 4. Verfügbar unter: <https://doi.org/10.1016/j.jadr.2021.100107> (12.09.2023).
- Walther, A. & Seidler, Z. E. (2020). Männliche Formen der Depression und deren Behandlung. *Psychotherapie im Dialog*, 21 (4), 40–45.
- Winkler, D., Pjrek, E. & Kasper, S. (2005). Anger attacks in depression – evidence for a male depressive syndrome. *Psychotherapy and Psychosomatics*, 74 (5), 303–307.
- Wong, Y. J., Ho, M. R., Wang, S. Y. & Miller, I. S. (2017). Meta-analyses of the relationship between conformity to masculine norms and mental health-related outcomes. *Journal of Counseling Psychology*, 64 (1), 80–93.
- Xuan, Z., Naimi, T. S., Kaplan, M. S., Bagge, C. L., Few, L. R., Maisto, S. et al. (2016). Alcohol Policies and Suicide: A Review of the Literature. *Alcoholism: Clinical and Experimental Research*, 40 (10), 2043–2055.
- Yousaf, O., Grunfeld, E. A. & Hunter, M. S. (2015). A systematic review of the factors associated with delays in medical and psychological help-seeking among men. *Health Psychology Review*, 9 (2), 264–276.