

Metakognitives Training für Patient*innen mit Psychose im Gruppen- und Einzelsetting

Ruth Veckenstedt & Jakob Scheunemann

Literatur

- Anderson, K. K., Fuhrer, R. & Malla, A. K. (2013). „There are too many steps before you get to where you need to be“: Help-seeking by patients with first-episode psychosis. *Journal of Mental Health*, 22 (4), 384–395.
- Balzan, R. P. (2016). Overconfidence in psychosis: The foundation of delusional conviction? *Cogent Psychology*, 3 (1). Verfügbar unter: <https://doi.org/10.1080/23311908.2015.1135855> (14.07.2023).
- Bechdolf, A. & Klingberg, S. (2014). Psychotherapie bei schizophrenen Störungen: Kein Evidenz-, sondern ein Implementierungsproblem. *Psychiatrische Praxis*, 41 (01), 8–10.
- Beck, A. T. (1979). *Cognitive therapy of depression*. Guilford press.
- Bentall, R. P., Kaney, S. & Dewey, M. E. (1991). Paranoia and social reasoning: An attribution theory analysis. *British Journal of Clinical Psychology*, 30 (1), 13–23.
- Bentall, R. P., Kinderman, P. & Kaney, S. (1994). The self, attributional processes and abnormal beliefs: Towards a model of persecutory delusions. *Behaviour Research and Therapy*, 32 (3), 331–341.
- Bora, E., Yucel, M. & Pantelis, C. (2009). Theory of mind impairment in schizophrenia: Meta-analysis. *Schizophrenia Research*, 109 (1–3), 1–9.
- Broyd, A., Balzan, R. P., Woodward, T. S. & Allen, P. (2017). Dopamine, cognitive biases and assessment of certainty: A neurocognitive model of delusions. *Clinical Psychology Review*, 54, 96–106.
- Dudley, R., Taylor, P., Wickham, S. & Hutton, P. (2016). Psychosis, delusions and the „jumping to conclusions“ reasoning bias: a systematic review and meta-analysis. *Schizophrenia Bulletin*, 42 (3), 652–665.
- Eichner, C. & Berna, F. (2016). Acceptance and efficacy of metacognitive training (MCT) on positive symptoms and delusions in patients with schizophrenia: a meta-analysis taking into account important moderators. *Schizophrenia Bulletin*, 42 (4), 952–962.
- Eisenacher, S. & Zink, M. (2017). Holding on to false beliefs: The bias against disconfirmatory evidence over the course of psychosis. *Journal of Behavior Therapy and Experimental Psychiatry*, 56, 79–89.
- Fischer, R., Scheunemann, J., Bohlender, A., Duletzki, P., Nagel, M. & Moritz, S. (2022). „You are trying to teach us to think more slowly!": Adapting Metacognitive Training for the acute care setting—A case report. *Clinical Psychology and Psychotherapy*, 29 (6), 1877–1885.
- Flavell, J. H. (1979). Metacognition and cognitive monitoring: A new area of cognitive-developmental inquiry. *American Psychologist*, 34 (10), 906.
- Galletly, C., Castle, D., Dark, F., Humberstone, V., Jablensky, A., Killackey, E. et al. (2016). Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the management of schizophrenia and related disorders. *Australian & New Zealand Journal of Psychiatry*, 50 (5), 410–472.

- Garety, P. A. & Freeman, D. (2013). The past and future of delusions research: from the inexplicable to the treatable. *The British Journal of Psychiatry*, 203 (5), 327–333.
- Garety, P. A., Hemsley, D. R. & Wessely, S. (1991). Reasoning in deluded schizophrenic and paranoid patients: biases in performance on a probabilistic inference task. *The Journal of Nervous and Mental Disease*, 179 (4), 194–201.
- Garety, P. A., Kuipers, E., Fowler, D., Freeman, D. & Bebbington, P. E. (2001). A cognitive model of the positive symptoms of psychosis. *Psychological Medicine*, 31 (2), 189–195.
- Gehlenborg, J., Bücker, L., Berthold, M., Miegel, F. & Moritz, S. (2020). Feasibility, Acceptance, and Safety of Metacognitive Training for Problem and Pathological Gamblers (Gambling-MCT): A Pilot Study. *Journal of Gambling Studies*, 37 (2), 663–687.
- Hasan, A., Falkai, P., Lehmann, I., Janssen, B., Wobrock, T., Zielasek, J. et al. (2020). Die aktualisierte S3-Leitlinie Schizophrenie. *Der Nervenarzt*, 91 (1), 26–33.
- Hautzinger, M. (2003). *Kognitive Verhaltenstherapie bei Depressionen*. Weinheim: Beltz.
- Jansen, J. E., Pedersen, M. B., Hastrup, L. H., Haahr, U. H. & Simonsen, E. (2018). Important first encounter: Service user experience of pathways to care and early detection in first-episode psychosis. *Early Intervention in Psychiatry*, 12 (2), 169–176.
- Jelinek, L., Van Quaquebeke, N. & Moritz, S. (2017). Cognitive and metacognitive mechanisms of change in metacognitive training for depression. *Scientific Reports*, 7 (1), 1–8.
- Kaney, S. & Bentall, R. P. (1989). Persecutory delusions and attributional style. *British Journal of Medical Psychology*, 62 (2), 191–198.
- Keen, N., Hunter, E. C. M. & Peters, E. (2017). Integrated trauma-focused cognitive-behavioural therapy for post-traumatic stress and psychotic symptoms: A case-series study using imaginal reprocessing strategies. *Frontiers in Psychiatry*, 8. Verfügbar unter: <https://doi.org/10.3389/fpsyt.2017.00092> (14.07.2023).
- Kernbach, S. (2020). Möglichkeiten zur Verbesserung der ambulanten psychotherapeutischen Versorgung von Patienten mit Schizophreniespektrumsstörungen im Raum Heidelberg. Verfügbar unter: <http://www.ub.uni-heidelberg.de/archiv/29729> (14.07.2023).
- Köther, U., Veckenstedt, R., Vitzthum, F., Roesch-Ely, D., Pfueller, U., Scheu, F. et al. (2012). „Don't give me that look" – Overconfidence in false mental state perception in schizophrenia. *Psychiatry Research*, 196 (1), 1–8.
- Kumar, D., Menon, M., Moritz, S. & Woodward, T. S. (2015). Using the back door: metacognitive training for psychosis. *Psychosis*, 7 (2), 166–178.
- Lincoln, T. (2019). *Kognitive Verhaltenstherapie der Schizophrenie: Ein individuenzentrierter Ansatz*. Göttingen: Hogrefe.
- Lincoln, T. M., Mehl, S., Exner, C., Lindenmeyer, J. & Rief, W. (2010). Attributional style and persecutory delusions. Evidence for an event independent and state specific external-personal attribution bias for social situations. *Cognitive Therapy and Research*, 34 (3), 297–302.
- Lincoln, T., Pedersen, A., Hahlweg, K., Frantz, I. et al. (2019). *Evidenzbasierte Leitlinie zur Psychotherapie von Schizophrenie und anderen psychotischen Störungen*. Göttingen: Hogrefe.

- Liu, Y.-C., Tang, C.-C., Hung, T.-T., Tsai, P.-C. & Lin, M.-F. (2018). The efficacy of metacognitive training for delusions in patients with schizophrenia: a meta-analysis of randomized controlled trials informs evidence-based practice. *Worldviews on Evidence-Based Nursing*, 15 (2), 130–139.
- Lopez-Morinigo, J.-D., Ajnakina, O., Martínez, A. S.-E., Escobedo-Aedo, P.-J., Ruiz-Ruano, V. G., Sánchez-Alonso, S. et al. (2020). Can metacognitive interventions improve insight in schizophrenia spectrum disorders? A systematic review and meta-analysis. *Psychological Medicine*, 50 (14), 2289–2301.
- McLean, B. F., Mattiske, J. K. & Balzan, R. P. (2017). Association of the jumping to conclusions and evidence integration biases with delusions in psychosis: A detailed meta-analysis. *Schizophrenia Bulletin*, 43 (2), 344–354.
- Mehl, S. & Heibach, E. (2022). *Therapie-Tools Psychosen: Mit Arbeitsmaterial*. Weinheim: Beltz.
- Mehl, S., Werner, D. & Lincoln, T. (2019). Corrigendum: Does Cognitive Behavior Therapy for psychosis (CBTp) show a sustainable effect on delusions? A meta-analysis. *Frontiers in Psychology*, 10:1868. Verfügbar unter: <https://doi.org/10.3389/fpsyg.2019.01868> (14.07.2023)
- Miegel, F., Demiralay, C., Sure, A., Moritz, S., Hottenrott, B., Cludius, B. et al. (2020). The Metacognitive Group Training for Obsessive-Compulsive Disorder: A pilot study. *Current Psychology*, 41, 7114–7124.
- Moritz, S., Andreou, C., Schneider, B. C., Wittekind, C. E., Menon, M., Balzan, R. P. et al. (2014). Sowing the seeds of doubt: a narrative review on metacognitive training in schizophrenia. *Clinical Psychology Review*, 34 (4), 358–366.
- Moritz, S., Bentall, R. P., Kolbeck, K. & Roesch-Ely, D. (2018). Monocausal attribution and its relationship with reasoning biases in schizophrenia. *Schizophrenia Research*, 193, 77–82.
- Moritz, S., Krieger, E. C., Bohn, F., Elmers, J. & Veckenstedt, R. (2023). *Individualisiertes Metakognitives Therapieprogramm für Menschen mit Psychose*. Berlin: Springer.
- Moritz, S., Pfuhl, G., Lüdtke, T., Menon, M., Balzan, R. P. & Andreou, C. (2017). A two-stage cognitive theory of the positive symptoms of psychosis. Highlighting the role of lowered decision thresholds. *Journal of Behavior Therapy and Experimental Psychiatry*, 56, 12–20.
- Moritz, S., Ramdani, N., Klass, H., Andreou, C., Jungclaussen, D., Eifler, S. et al. (2014). Overconfidence in incorrect perceptual judgments in patients with schizophrenia. *Schizophrenia Research: Cognition*, 1 (4), 165–170.
- Moritz, S., Veckenstedt, R., Randjbar, S. & Vitzthum, F. (2011). *MKT+ Individualisiertes Metakognitives Therapieprogramm für Menschen mit Psychose*. Berlin: Springer
- Moritz, S. & Woodward, T. S. (2005). Jumping to conclusions in delusional and non-delusional schizophrenic patients. *The British Journal of Clinical Psychology*, 44 (Pt 2), 193–207.
- Moritz, S. & Woodward, T. S. (2006). Metacognitive control over false memories: A key determinant of delusional thinking. *Current Psychiatry Reports*, 8 (3), 184–190.
- Moritz, S. & Woodward, T. S. (2007). Metacognitive training in schizophrenia: from basic research to knowledge translation and intervention. *Current Opinion in Psychiatry*, 20 (6), 619–625.
- Murphy, P., Bentall, R. P., Freeman, D., O'Rourke, S. & Hutton, P. (2018). The paranoia as defence model of persecutory delusions: a systematic review and meta-analysis. *The Lancet Psychiatry*, 5 (11), 913–929.

- National Institute for Health and Care Excellence [NICE]. (2014). Psychosis and schizophrenia in adults: prevention and management. verfügbar unter: <https://www.nice.org.uk/guidance/cg178> (14.07.2023).
- Penney, D., Sauvé, G., Mendelson, D., Thibodeau, É., Moritz, S. & Lepage, M. (2022). Immediate and Sustained Outcomes and Moderators Associated with Metacognitive Training for Psychosis: A Systematic Review and Meta-analysis. *JAMA Psychiatry*, 79 (5), 417–429.
- Randjbar, S., Veckenstedt, R., Vitzthum, F., Hottenrott, B. & Moritz, S. (2011). Attributional biases in paranoid schizophrenia: Further evidence for a decreased sense of self-causation in paranoia. *Psychosis*, 3 (1), 74–85.
- Salize, H. J., Voß, E., Werner, A., Falkai, P. & Hauth, I. (2015). Behandlungspfade in der Versorgung von Patienten mit Schizophrenie und Depression. *Nervenarzt*, 86 (11), 1358–1370.
- Schilling, L., Moritz, S., Kriston, L., Krieger, M. & Nagel, M. (2018). Efficacy of metacognitive training for patients with borderline personality disorder: Preliminary results. *Psychiatry Research*, 262, 459–464.
- Schlier, B. & Lincoln, T. M. (2016). Blinde Flecken? Der Einfluss von Stigma auf die psychotherapeutische Versorgung von Menschen mit Schizophrenie. *Verhaltenstherapie*, 26 (4), 279–290.
- Smith, B., Fowler, D. G., Freeman, D., Bebbington, P., Bashforth, H., Garety, P. et al. (2006). Emotion and psychosis: Links between depression, self-esteem, negative schematic beliefs and delusions and hallucinations. *Schizophrenia Research*, 86 (1–3), 181–188.
- Sprong, M., Schothorst, P., Vos, E., Hox, J. & Van Engeland, H. (2007). Theory of mind in schizophrenia: meta-analysis. *The British Journal of Psychiatry*, 191 (1), 5–13.
- Swan, S., Keen, N., Reynolds, N. & Onwumere, J. (2017). Psychological interventions for post-traumatic stress symptoms in psychosis: A systematic review of outcomes. *Frontiers in Psychology* (8). Verfügbar unter: <https://doi.org/10.3389/fpsyg.2017.00341> (14.07.2023).
- Ussorio, D., Giusti, L., Wittekind, C. E., Bianchini, V., Malavolta, M., Pollice, R. et al. (2016). Metacognitive training for young subjects (MCT young version) in the early stages of psychosis: Is the duration of untreated psychosis a limiting factor?. *Psychology and Psychotherapy: Theory, Research and Practice*, 89 (1), 50–65.
- Van Den Berg, D. P. G., De Bont, P. A. J. M., Van Der Vleugel, B. M., De Roos, C., De Jongh, A., Van Minnen, A. et al. (2015). Prolonged exposure vs eyemovement desensitization and reprocessing vs waiting list for posttraumatic stress disorder in patients with a psychotic disorder: A randomized clinical trial. *JAMA Psychiatry*, 72 (3), 259–267.
- Van Os, J., Linscott, R. J., Myin-Germeys, I., Delespaul, P. & Krabbendam, L. (2009). A systematic review and meta-analysis of the psychosis continuum: Evidence for a psychosis proneness-persistence-impairment model of psychotic disorder. *Psychological Medicine*, 39 (2), 179–195.
- von Haebler, D., Montag, C. & Lempa, G. (2022). Modifizierte psychodynamische Psychosentherapie: Werkzeuge, Konzepte, Fallbeispiele. Göttingen: Vandenhoeck & Ruprecht.
- Veckenstedt, R., Randjbar, S., Vitzthum, F., Hottenrott, B., Woodward, T. S. & Moritz, S. (2011). Incurability, jumping to conclusions, and decision threshold in schizophrenia. *Cognitive Neuropsychiatry*, 16 (2), 174–192.
- Walker, C. (1991). Delusion: What did jaspers really say? *British Journal of Psychiatry*, 159 (14), 94–103.

- Ward, T. & Garety, P. A. (2019). Fast and slow thinking in distressing delusions: A review of the literature and implications for targeted therapy. *Schizophrenia Research*, 203, 80–87.
- Woodward, T. S., Moritz, S. & Chen, E. Y. H. (2006). The contribution of a cognitive bias against disconfirmatory evidence (BADE) to delusions: a study in an Asian sample with first episode schizophrenia spectrum disorders. *Journal of Clinical and Experimental Neuropsychology*, 28 (4), 605–617.
- Wykes, T., Steel, C., Everitt, B. & Tarrier, N. (2008). Cognitive Behavior Therapy for Schizophrenia: Effect Sizes, Clinical Models, and Methodological Rigor. *Schizophrenia Bulletin*, 34 (3), 523–537.