

# Prozessmonitoring in der Psychotherapie: Anspruch und Nutzen

Günter Schiepek, Leonhard Kratzer, Yvonne Hülsner & Egon Bachler

Boyce, M.B., Browne, J.P., & Greenhalgh, J. (2014). The experiences of professionals with using information from patient-reported outcome measures to improve the quality of healthcare: a systematic review of qualitative research. *BMJ Quality & Safety*, 23, 508–518.

Brown, J., Dreis, S., & Nace, D. (1999). What really makes difference in psychotherapy outcome? Why does managed care want to know? In M.A. Hubble, B.L. Duncan, & D.S. Miller (Eds.), *The Heart and Soul of Change: What Works in Therapy?* (pp. 389-406). Washington: APA.

Callaly, T., Hyland, M., Coombs, T., & Trauer, T. (2006). Routine outcome measurement in public mental health: Results of a clinician survey. *Australian Health Review*, 30, 164.

Cristea, I.A., Stefan, S., Karyotaki, E., David, D., Hollon, S.D., & Cuijpers, P. (2017). The effects of cognitive behavioral therapy are not systematically falling: A revision of Johnsen and Friborg (2015). *Psychological Bulletin*, 143, 326–340.

de Jong K., van Sluis P., Nugter M.A., Heiser W.J., & Spinhoven P. (2012). Understanding the differential impact of outcome monitoring: Therapist variables that moderate feedback effects in a randomized clinical trial. *Psychotherapy Research*, 22, 464-474.

de Jong, K. & de Goede, M. (2015). Why do some therapists not deal with outcome monitoring feedback? A feasibility study on the effect of regulatory focus and person-organization fit on attitude and outcome. *Psychother.Res*;25:661-668.

de Jong, K., Barkham, M., Wolpert, M., and the INSPIRE Research Network (in prep.). The Impact of Progress Feedback on Outcomes of Psychological interventions: A Review of the Evidence and Proposal for a way Forward for Research. Manuscript, Institute of Psychology, Leiden University, NL.

Delgadillo, J., Overend, K., Lucock, M., Groom, M., Kirby, N., McMillan, D., Gilbody, S., Lutz, W., Rubel, J.A., & de Jong, K. (2017). Improving the efficiency of psychological treatment using outcome feedback technology. *Behavior Research and Therapy*, 99, 89-97.

Dimidjian, S. & Hollon, S.D. (2010). How would we know if psychotherapy were harmful? *American Psychologist*, 65, 21-33.

Finch, A.E., Lambert, M.J., & Schaalje, B.G. (2001). Psychotherapy quality control: The statistical generation of expected recovery curves for integration into an early warning system. *Clinical Psychology and Psychotherapy*, 8, 231-242.

Fischer-Klepsch, M., Münchau, N., & Hand, I. (2009). Misserfolge in der Verhaltenstherapie. In J. Margraf & S. Schneider (Hrsg.), *Lehrbuch der Verhaltenstherapie. Band 1: Grundlagen, Diagnostik, Verfahren, Rahmenbedingungen* (3. Aufl.) (S. 261-275). Heidelberg: Springer.

Garland, A.F., Kruse, M., & Aarons, G.A. (2003). Clinicians and outcome measurement: What's the use? *The Journal of Behavioral Health Services and Research*, 30, 393–405.

Gibbons, M.B.C., Kurtz, J.E., Thompson, D.L., Mack, R.A., Lee, J.K., Rothbard, A., Eisen, S., Gallop, R., & Crits-Christoph, P. (2015). The effectiveness of clinician feedback in the treatment of depression in the community mental health system. *Journal of Consulting and Clinical Psychology*, 83, 748–759.

Goldberg, S.B., Rousmaniere, T., Miller, S.D., Whipple, J., Nielsen, S.L., Hoyt, W.T., & Wampold, B.E. (2016). Do psychotherapists improve with time and experience? A longitudinal analysis of outcomes in a clinical setting. *Journal of Counseling Psychology*, 63, 1–11.

Haken, H. & Schiepek, G. (2006, 2. Aufl. 2010). *Synergetik in der Psychologie. Selbstorganisation verstehen und gestalten*. Göttingen: Hogrefe.

Hand, I. (2015). Panikstörung, Agoraphobie und Exposition - Forschungsbedarf wofür und für wen? *Verhaltenstherapie*, 25, 312–315.

Hannan, C., Lambert, M.J., Harmon, C., Nielsen, S.L., Smart, D.W., Shimokawa, K., Sutton, S.W. (2005). A lab test and algorithms for identifying clients at risk for treatment failure. *Journal of Clinical Psychology*, 61, 155-163.

Hatfield, D., McCullough, L., Frantz, S.H., & Krieger, K. (2010). Do we know when our clients get worse? An investigation of therapists' ability to detect negative client change. *Clinical Psychology and Psychotherapy*, 17, 25–32.

Hiller, W., Schindler, A., Andor, T., & Rist, F. (2011). Vorschläge zur Evaluation regulärer Psychotherapien an Hochschulambulanzen im Sinne einer Phase-IV-Therapieforschung. *Zeitschrift für Klinische Psychologie und Psychotherapie*, 40, 22-32.

Ionita, G., Fitzpatrick M., Tomaro, J., Chen V.V., & Overington L. (2016). Challenges of using progress monitoring measures: Insights from practicing clinicians. *Journal of Counseling Psychology*, 63, 173-182.

Johnsen, T.J., & Friberg, O. (2015). The effects of cognitive behavioral therapy as an anti-depressive treatment is falling: A meta-analysis. *Psychological Bulletin*, 141, 747–768.

Kendrick, T., El-Gohary, M., Stuart, B., Gilbody, S., Churchill, R., Aiken, L., Bhattacharya, A., Gimson, A., Brütt, A.L., de Jong, K., & Moore, M. (2016). Routine use of patient reported outcome measures (PROMs) for improving treatment of common mental health disorders in adults. *Cochrane Database of Systematic Reviews* 2016, Issue 7. Art. No.: CD011119.

Knaup, C., Kösters, M., Schöfer, D., Becker, T., & Puschner, B. (2009). Effect of feedback of treatment outcome in specialist mental healthcare: Meta-Analysis. *The British Journal of Psychiatry*, 195, 15-22.

Lambert, M.J. (2017). Maximizing psychotherapy outcome beyond evidence-based medicine. *Psychotherapy & Psychosomatics*, 86, 80-89.

Lambert, M.J., Hawkins, E.J., & Hafield, D.R. (2002a). Empirische Forschung über negative Effekte in der Psychotherapie: Befunde und ihre Bedeutung für Praxis und Forschung. In M.

[Psychotherapeutenjournal 4/2019, S. 357–364.](#)

Märtens & H. Petzold (Hrsg.), Therapieschäden. Risiken und Nebenwirkungen von Psychotherapien (S. 40-59). Mainz: Grünewald.

Lambert, M.J., Whipple, J.L., Vermeersch, D.A., Smart, D.W., Hawkins, E.J., Nielsen, S.L., & Goates, M. (2002b). Enhancing psychotherapy outcomes via providing feedback on client progress: a replication. *Clinical Psychology and Psychotherapy*, 9, 91-103.

Lambert, M. J., & Ogles, B.M. (2004). The efficacy and effectiveness of psychotherapy. In M.J. Lambert (Ed.), *Bergin and Garfield's Handbook of Psychotherapy and Behavior Change* (5th Ed.) (pp. 139-193). New York: Wiley.

Lucock, M., Halstead, J., Leach, C., Barkham, M., Tucker, S., Randal, C., Middleton, J., Khan, W., Catlow, H., Waters, E., Saxon, D. (2015). A mixed-method investigation of patient monitoring and enhanced feedback in routine practice: Barriers and facilitators. *Psychotherapy Research*, 25, 633–646.

Lutz W., Wittmann W., Böhnke J., Rubel J. & Steffanowski A. (2012). Zu den Ergebnissen der Modellprojektes der Technikerkrankenkasse zum Qualitätsmonitoring in der ambulanten Psychotherapie aus Sicht des wissenschaftlichen Evaluationsteams. *Psychotherapie, Psychosomatik und Medizinische Psychologie*, 62, 413-417.

Lutz, W., & Rubel, J. (2015). Warum die Psychotherapieforschung in Deutschland ausgebaut werden sollte/könnte/müsste. *Psychotherapie, Psychosomatik, Medizinische Psychologie*, 65, 161–162.

Lutz, W., Rubel, J., Schiefele, A.K., Zimmermann, D., Böhnke, J., & Wittmann, W. (2015). Feedback and therapist effects in the context of treatment outcome and treatment length. *Psychotherapy Research*, 25, 647–660.

McClintock, A.S., Perlman, M.R., McCarrick, S.M., Anderson, T., & Himawan, L. (2017). Enhancing psychotherapy process with common factors feedback: A randomized, clinical trial. *Journal of Counseling Psychology*, 64, 247–260.

Nilges, P. & Essau, C. (2015). Die Depressions-Angst-Stress-Skalen. Der DASS – ein Screeningverfahren nicht nur für Schmerzpatienten. *Der Schmerz*.

Norcross, J.C. (2003). Empirically supported therapy relationships. In J.C. Norcross (Ed.), *Psychotherapy Relationships that Work* (pp. 3–16). New York: Oxford University Press.

Probst, T., Lambert, M.J., Loew, T.H., Dahlbender, R.W., Göllner, R., & Tritt K. (2013). Feedback on patient progress and clinical support tools for therapists: improved outcome for patients at risk of treatment failure in psychosomatic in-patient therapy under the conditions of routine practice. *Journal of Psychosomatic Research*, 75, 255-261.

Rousmaniere, T. (2014). Using technology to enhance clinical supervision and training. In C. Edward Watkins Jr. & D.L. Milne (Eds.), *The Wiley International Handbook of Clinical Supervision* (pp. 204-237). New York: Wiley.

Rubel, J.A., Zimmermann, D., Deisenhofer, A-K., Müller, V., & Lutz, W. (2017). Nutzung von psychometrischem Feedback als empirische Unterstützung des Supervisionsprozesses bei Ausbildungstherapien. *Zeitschrift für Klinische Psychologie und Psychotherapie*, 46, 83–95.

Sapyta, J., Riemer, M., & Bickman, L. (2005). Feedback to clinicians: theory, research, and practice. *Journal of Clinical Psychology*, 62, 145-153.

Schiepek, G., Eckert, H., Aas, B., Wallot, S. & Wallot, A. (2015). *Integrative Psychotherapy. A Feedback-Driven Dynamic Systems Approach*. Boston, MA: Hogrefe International Publishing.

Schiepek, G., Aichhorn, W., Gruber, M., Strunk, G., Bachler, E., & Aas, B. (2016). Real-time monitoring of psychotherapeutic processes: Concept and compliance. *Frontiers in Psychology for Clinical Settings*, 7:604.

Schiepek, G., Viol, K., Aichhorn, W., Hütt, M.T., Sungler, K., Pincus, D., & Schöllner, H. (2017). Psychotherapy is chaotic—(not only) in a computational world. *Frontiers in Psychology for Clinical Settings*, 8:379.

Schiepek, G., Aichhorn, W. & Schöllner, H. (2018a). Monitoring change dynamics – a nonlinear approach to psychotherapy feedback. *Chaos & Complexity Letters*, 11(3), 355-375.

Schiepek, G., Aichhorn, W., Schöllner, H., & Kronberger, H. (2018b). Prozessfeedback in der Psychotherapie. *Methodik, Visualisierung und Fallbeispiel*. *Psychotherapeut*, 63(4), 306-314.

Schiepek, G., Gelo, O., Viol, K., Kratzer, L., Orsucci, F., de Felice, G., Lichtwarck-Aschoff, A., Stöger-Schmidinger, B., Aichhorn, W., & Schöllner, H. (submitted). “Not On Track” – Are psychotherapies moving on standard tracks? A multicenter analysis of clinical routine data. Submitted to *Psychotherapy Research*

Schöllner, H., Viol, K., Aichhorn, W., Hütt, M.T., & Schiepek, G. (2018). Personality development in psychotherapy: a synergetic model of state-trait dynamics. *Cognitive Neurodynamics*, 12, 441-459.

Shimokawa, K., Lambert, M.J., & Smart, D.W. (2010). Enhancing treatment outcome of patients at risk of treatment failure: Meta-analytic and mega-analytic review of a psychotherapy quality assurance system. *Journal of Consulting and Clinical Psychology*, 78, 298–311.

Strauß, B.M., Lutz, W., Steffanowski, A., Wittmann, W.W., Boehnke, J.R., Rubel, J., Scheidt, C.E., Caspar, F., Vogel, H., Altmann, U., Steyer, R., Zimmermann, A., Bruckmayer, E., von Heymann, F., Kramer, D., & Kirchmann, H. (2015). Benefits and challenges in practice-oriented psychotherapy research in Germany: the TK and the QS-PSY-BAY projects of quality assurance in outpatient psychotherapy. *Psychotherapy Research*, 25, 32-51.

Swift, J.K., Callahan, J.L., Rousmaniere, T.G., Whipple, J.L., Dexter, K., & Wrape, E.R. (2015). Using client outcome monitoring as a tool for supervision. *Psychotherapy*, 52, 180–184.

Wampold, B. (2015). Routine outcome monitoring: Coming of age with the usual developmental challenges. *Psychotherapy*, 52, 458-462.