

# Depressive Störungen in der ICD-11: Was bleibt, was ist neu?

Christine Kühner, Isabelle F. Schricker & Sibel Nayman

## Literatur

- Andrade, L. H. & Wang, Y. P. (2012). How global epidemiological evidence can inform the revision of ICD-10 classification of depression and anxiety disorders. *World Psychiatry, 11* (Suppl 1), 6–10.
- APA – American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders*. Fifth Edition. Arlington, VA: American Psychiatric Association.
- Beddig, T. & Kuehner, C. (2017). Aktuelle Aspekte zur Prämenstruellen Dysphorischen Störung - Ein Überblick. *Psychotherapie, Psychosomatik, Medizinische Psychologie, 67*, 504–513.
- Chakrabarti, S. (2012). Psychotic and catatonic presentations in bipolar and depressive disorders. *World Psychiatry, 11* (Suppl 1), 59–64.
- Cuijpers, P., Cristea, I. A., Karyotaki, E., Reijnders, M. & Hollon, S. D. (2017). Melancholic and atypical depression as predictor and moderator of outcome in cognitive behavior therapy and pharmacotherapy for adult depression. *Depression and Anxiety, 34*, 246–256.
- DGPPN, BÄK, KBV, AWMF, AkdÄ, BPTK et al. (Hrsg.). S3-Leitlinie/Nationale VersorgungsLeitlinie Unipolare Depression – Langfassung, 2. Auflage. Version 5. 2015. Verfügbar unter: [www.depression.versorgungsleitlinien.de](http://www.depression.versorgungsleitlinien.de) (30.08.2021).
- Gaspersz, R., Nawijn, L., Lamers, F. & Penninx, B. W. (2018). Patients with anxious depression: overview of prevalence, pathophysiology and impact on course and treatment outcome. *Current Opinion in Psychiatry, 31*, 17–25.
- Global Clinical Practice (GCP) Network (2021). ICD-11 Guidelines. Verfügbar unter: <https://gcp.network/de/icd-11-guidelines/> (30.08.2021).
- Insel, T., Cuthbert, B., Garvey, M., Heissen, R., Pine, D. S., Quinn, K. et al. (2010). Research domain criteria (RDoC): toward a new classification framework for research on mental disorders. *American Journal of Psychiatry, 167*, 748–751.
- Yonkers, K. A. & Simoni, M. K. (2018). Premenstrual disorders. *American Journal of Obstetrics and Gynecology, 218*, 68–74.
- Kotov, R., Krueger, R. F., Watson, D., Achenbach, T. M., Althoff, R. R., Bagby, R. M. et al. (2017). The Hierarchical Taxonomy of Psychopathology (HiTOP): A dimensional alternative to traditional nosologies. *Journal of Abnormal Psychology, 126*, 454–477.
- Kühner, C. (2016). Psychiatrische Erkrankungen in Schwangerschaft und Stillzeit. *Der Nervenarzt, 87*, 926–936.
- Kuehner, C. & Nayman, S. (2021). Premenstrual exacerbations of mood disorders: findings and knowledge gaps. *Current Psychiatry Reports, 23* (11), 78.

- Lojko, D. & Rybakowski, J. K. (2017). Atypical depression: current perspectives. *Neuropsychiatric Disease and Treatment*, 13, 2447–2456.
- Miklowitz, D. J. & First, M. B. (2012). Specifiers as aids to treatment selection and clinical management in the ICD classification of mood disorders. *World Psychiatry*, 11 (Suppl 1), 11–16.
- Möller, H. J., Bandelow, B., Volz, H. P., Barnikol, U. B., Seifritz, E. & Kasper, S. (2016). The relevance of ‚mixed anxiety and depression‘ as a diagnostic category in clinical practice. *European Archives of Psychiatry and Clinical Neuroscience*, 266, 725–736.
- Reed, G. M., First, M. B., Kogan, C. S., Hyman, S. E., Gureje, O., Gaebel, W. et al. (2019). Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. *World Psychiatry*, 18, 3–19.
- Reed, G. M., Sharan, P., Rebello, T. J., Keeley, J. W., Elena Medina-Mora, M., Gureje, O. et al. (2018). The ICD-11 developmental field study of reliability of diagnoses of high-burden mental disorders: results among adult patients in mental health settings of 13 countries. *World Psychiatry*, 17, 174–186.
- Stein, D. J., Szatmari, P., Gaebel, W., Berk, M., Vieta, E., Maj, M. et al. (2020). Mental, behavioral and neurodevelopmental disorders in the ICD-11: an international perspective on key changes and controversies. *BMC Medicine*, 18, 1–24.
- Uher, R., Payne, J. L., Pavlova, B. & Perlis, R. H. (2014). Major depressive disorder in DSM-5: Implications for clinical practice and research of changes from DSM-IV. *Depression and Anxiety*, 31, 459–471.
- Vinkers, C. H., Kuzminskaite, E., Lamers, F., Giltay, E. J. & Penninx, B. W. (2021). An integrated approach to understand biological stress system dysregulation across depressive and anxiety disorders. *Journal of Affective Disorders*, 283, 139–146.
- Wagner, B. (2016). Wann ist Trauer eine psychische Erkrankung? Trauer als diagnostisches Kriterium in der ICD-11 und im DSM-5. *Psychotherapeutenjournal*, 15 (3), 250–255.
- Wakefield, J. C. & Schmitz, M. F. (2012). Recurrence of depression after bereavement-related depression: evidence for the validity of DSM-IV bereavement exclusion from the Epidemiologic Catchment Area Study. *The Journal of Nervous and Mental Disease*, 200, 480–485.
- World Health Organization (WHO). (2017). Depression and other common mental disorders. Global health estimates. Verfügbar unter: <https://apps.who.int/iris/bitstream/handle/10665/254610/WHO-MSD-MER-2017.2-eng.pdf> (30.08.2021).
- World Health Organization (WHO). (2018). ICD-11 for mortality and morbidity statistics (ICD-11 MMS) 2018 version. Verfügbar unter: <https://icd.who.int/browse11/l-m/en> (30.08.2021).
- Ziebold, C., Mari, J. J., Goldberg, D. P., Minhas, F., Razzaque, B., Fortes, S. et al. (2019). Diagnostic consequences of a new category of anxious depression and a reduced duration requirement for anxiety symptoms in the ICD-11 PHC. *Journal of Affective Disorders*, 245, 120–125.

Zimmerman, M. & Chelminski, I. (2003). Generalized anxiety disorder in patients with major depression: is DSM-IV's hierarchy correct? *American Journal of Psychiatry*, 160 (3), 504–512.