

# Die Olfaktorische Referenzstörung.

## Eine „neue“ Störung des Zwangsspektrums

Anja Grocholewski

- American Psychiatric Association. (2011). DSM-5 Development. Verfügbar unter: <http://www.dsm5.org/ProposedRevisions/Pages/proposedrevision.aspx?rid=400> (30.01.2022).
- American Psychiatric Association (Eds.) (2013). Diagnostic and statistic manual of mental disorders, 5th edition (DSM-5). Washington, D. C.: American Psychiatric Press.
- Begum, M., & McKenna, P. J. (2011). Olfactory reference syndrome. A systematic review of the world literature. *Psychological Medicine*, 41 (3), 453–461.
- Bizamcer, A. N., Dubin, W. R., & Hayburn, B. (2008). Olfactory reference syndrome. *Psychosomatics*, 49 (1), 77–81.
- Devinsky, O., Khan, S., & Alper, K. (1998). Olfactory reference syndrome in a patient with partial epilepsy. *Neuropsychiatry, neuropsychology, and behavioral neurology*, 11 (2), 103–105.
- Eisen, J. L., Phillips, K. A., Baer, L., Beer, D. A., Atala, K. D., & Rasmussen, S. A. (1998). The brown assessment of beliefs scale: reliability and validity. *American Journal of Psychiatry*, 155, 102–108.
- Feusner, J. D., Phillips, K. A. & Stein, D. J. (2010). Olfactory reference syndrome: issues for DSM-V. *Depression and Anxiety*, 27 (6), 592–599.
- Gattaz, W. & Haas, S. (1982). Isolated olfactory hallucinosis and olfactory hallucinations in endogenous psychoses. *Fortschritte der Neurologie Psychiatrie*, 50 (3), 67–72.
- Greenberg, J. L., Shaw, A. M., Reuman, L., Schwartz, R., & Wilhelm, S. (2016). Clinical features of olfactory reference syndrome: An internet-based study. *Journal of Psychomatic Research*, 80, 11–16.
- Greenberg, J. L., Berman, N. C., Braddick, V., Schwartz, R., Mothi, S. S., & Wilhelm, S. (2018). Treatment utilization and barriers to treatment among individuals with olfactory reference syndrome (ORS). *Journal of Psychosomatic Research*, 105, 31–36.
- Grocholewski, A. (2012). Für das Olfaktorische Referenzsyndrom modifizierte BDD-YBOCS. Unveröffentlichtes Manuskript, TU Braunschweig.
- Grocholewski, A. (2021). Wenn der Körper nicht „passt“ – in Forschung und Praxis unterrepräsentierte Störungen mit Fokus auf gestörter Körperwahrnehmung (eingereichte Habilitationsschrift). Technische Universität Braunschweig.
- Grocholewski, A. (2021a). Häufig übersehen?! Die Körperdysmorphie Störung und die Olfaktorische Referenzstörung. *Psychosoziale und Medizinische Rehabilitation*, 116, 4–18.
- Jegade, O., Virk, I., Cherukupally, K., Germain, W., Fournon, P., Olupona, T. et al. (2018). Olfactory reference syndrome with suicidal attempt treated with pimozide and fluvoxamine. *Case Reports in Psychiatry*, Vol. 2018, 7876497.

- Kasahara, Y., & Kenji, S. (1971). Ereuthophobia and allied conditions: A contribution toward the psychopathological and crosscultural study of a borderline state. In S. Arieti (Ed.), *The world biennial of psychiatry and psychotherapy* (pp. 292–311). New York: Basic Books.
- Konuk, N., Atik, L., Atasoy, N. & Ugur, M. B. (2006). Frontotemporal hypoperfusion detected by 99mTc HMPAO SPECT in a patient with olfactory reference syndrome. *General Hospital Psychiatry*, 28 (2), 174–177.
- Lochner, C. B. & Stein, D. (2003). Olfactory reference syndrome: Diagnostic criteria and differential diagnosis. *Journal of Postgraduate Medicine*, 49 (4), 328–331.
- Marks, I. & Mishan, J. (1988). Dymorphophobic avoidance with disturbed bodily perception: a pilot study of exposure therapy. *British Journal of Psychiatry*, 152, 674–678.
- Miranda-Sivelo, A., Bajo-Del Pozo, C., & Fructuoso-Castellar, A. (2013). Unnecessary surgical treatment in a case of olfactory reference syndrome, *General Hospital Psychiatry*, 35 (6), 683. e3-683. e4.
- Nagel, D., Lutz, C. & Fillippi, A. (2006). Halitophobie – das unterschätzte Krankheitsbild. *Schweizer Monatsschrift für Zahnmedizin*, 116, 57–60.
- Phillips, K. A. (2011). Body Dysmorphic Disorder Data Form Modified for ORS. Unpublished Manuscript. General Hospital, New York.
- Phillips, K. A. & Menard, W. (2011). Olfactory reference syndrome. Demographic and clinical features of imagined body odor. *General Hospital Psychiatry*, 33 (4), 398–406.
- Potts, C. S. (1891). Two cases of hallucination of smell. *University of Pennsylvania Medical Magazine*, 226.
- Prazeres, A. M., Fontenelle, L. F., Mendlowicz, M. V., de Mathis, M. A., Ferrão, Y. A., de Brito, N. F. C. et al. (2010). Olfactory reference syndrome as a subtype of body dysmorphic disorder. *The Journal of clinical psychiatry*, 71 (1), 87–89.
- Pryse-Phillips, W. (1971). An olfactory reference syndrome. *Acta psychiatrica Scandinavica*, 47 (4), 484–509.
- Quirynen, M., Dadamio, J., van den Velde, S., De Smit, M., Dekeyser, C., Van Tornout, M. et al. (2009). Characteristics of 2000 patients who visited a halitosis clinic. *Journal of clinical periodontology*, 36 (11), 970–975.
- Schmidt, R. & Grochowski, A. (2019). Ekel und die Olfaktorische Referenzstörung. *Verhaltenstherapie*, 29, 98–106.
- Schmidt, R., Behrens, C., Luckhof, M., Eggert, F., Heinrichs, N. & Grochowski, A. (2021). Is There a Perceptual Basis to Olfactory Reference Disorder? *Journal of Obsessive-Compulsive and Related Disorders*, 31, 100692.
- Schmidt, R., Haiduk, M. & Grochowski, A. (2017). Wenn man sich selbst einfach nicht riechen kann. Eine Übersichtsarbeit mit Kasuistik zur Olfaktorischen Referenzstörung. *Psychotherapie – Psychosomatik – Medizinische Psychologie*, 67, 1–9.
- Sofko, C., Tremont, G., Tan, J. E., Westerveld, H., Ahern, D. C., Menard, W. et al. (2020). Olfactory and neuropsychological functioning in olfactory reference syndrome. *Psychosomatics*, 61 (3), 261–267.
- Suzuki, K., Takei, N., Iwata, Y., Sekine, Y., Toyoda, T., Nakamura, K. (2004). Do olfactory reference syndrome and Jiko-shu-kyofu (a subtype of Taijin-kyofu) share a common entity? *Acta Psychiatrica Scandinavica*, 109 (2), 150–155.
- Tada, K. & Kojima, T. (2002). The relationship of olfactory delusional disorder to social phobia. *Journal of Nervous and Mental Disease*, 190 (1), 45–47.

- Thomas, E., du Plessis, S., Chiliza, B., Lochner, C., & Stein, D. (2015). Olfactory reference disorder: Diagnosis, epidemiology and management. *CNS Drugs*, 29, 999–1007.
- Veale, D. & Matsunaga, H. (2014). Body dysmorphic disorder and olfactory reference disorder: Proposals for ICD-11. *Brazilian Journal of Psychiatry*, 36, 14–20.
- Warnecke, M., Bahlmann, M. & Soyka, M. (2002). Eigengeruchswahn und Alkoholabhängigkeit. *Psychiatrische Praxis*, 29 (4), 211–213.
- Wilhelm, S, Phillips, K. A & Steketee, G. (2013). *Cognitive-behavioral therapy for body dysmorphic disorder: A treatment manual*. New York: Guilford Press.
- World Health Organization (1992). *International statistical classification of disease and related health problems, Tenth Revision (ICD-10)*. Geneva: World Health Organization.
- World Health Organization. (2019). *ICD-11 for Mortality and Morbidity Statistics (Version: 04/ 2019)*. Verfügbar unter: <https://icd.who.int/browse11/l-m/en#/http%3a%2f%2fid.who.int%2fid%2fentity%2f731724655> (30.01.2022).
- Zhou, X., Schneider, S. C., Cepeda, S. L., & Storch, E. A. (2018). Olfactory reference syndrome symptoms in chinese university students: Phenomenology, associated impairment, and clinical correlates. *Comprehensive Psychiatry*, 86, 91–95.