

Die Prämenstruelle Dysphorische Störung (PMDS): Eine neue Diagnose in der ICD-11

Sibel Nayman, Isabelle F. Schrickler & Christine Kühner

Literatur

Accortt, E. E., Bismark, A., Schneider, T. R. & Allen, J. J. (2011). Diagnosing premenstrual dysphoric disorder: the reliability of a structured clinical interview. *Archives of women's mental health*, 14 (3), 265-267.

Adam, E. K., Quinn, M. E., Tavernier, R., McQuillan, M. T., Dahlke, K. A. & Gilbert, K. E. (2017). Diurnal cortisol slopes and mental and physical health outcomes: A systematic review and meta-analysis. *Psychoneuroendocrinology*, 83, 25-41.

Alder, J. & Urech, C. (2014). *Psychotherapie in der Frauenheilkunde*. Göttingen: Hogrefe Verlag.

American Psychiatric Association (1987). *Diagnostic and statistical manual of mental disorders (Third edition revised)*. Washington, DC: American Psychiatric Association.

American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders (Fourth edition)*. Washington, DC: American Psychiatric Association.

American Psychiatric Association (2013). *Diagnostic and statistical manual of mental disorders (Fifth edition)*. Arlington, VA: American Psychiatric Association.

Bäckström, T., Ekberg, K., Hirschberg, A. L., Bixo, M., Epperson, C. N., Briggs, P. et al. (2021). A randomized, double-blind study on efficacy and safety of sepranolone in premenstrual dysphoric disorder. *Psychoneuroendocrinology*, 133, 105426.

Beddig, T. & Kühner, C. (2017). Aktuelle Aspekte zur Prämenstruellen Dysphorischen Störung – Ein Überblick. *Psychotherapie, Psychosomatik, Medizinische Psychologie*, 67 (12), 504-513.

Beddig, T., Reinhard, I., Ebner-Priemer, U. & Kuehner, C. (2020). Reciprocal effects between cognitive and affective states in women with premenstrual dysphoric disorder: An Ecological Momentary Assessment study. *Behaviour research and therapy*, 131, 103613.

Beddig, T., Reinhard, I. & Kuehner, C. (2019). Stress, mood, and cortisol during daily life in women with premenstrual dysphoric disorder (PMDD). *Psychoneuroendocrinology*, 109, 104372.

Beesdo-Baum, K., Zaudig, M. & Wittchen, H. U. (2019). *SCID-5-CV. Strukturiertes Klinisches Interview für DSM-5®-Störungen – Klinische Version*. Göttingen: Hogrefe.

Bentz, D., Steiner, M. & Meinschmidt, G. (2012). SIPS – Screening-Instrument für prämenstruelle Symptome: Die deutsche Version des Premenstrual Symptoms Screening Tool zur Erfassung klinisch relevanter Beschwerden. *Nervenarzt*, 83 (1), 33-39.

Bluth, K., Gaylord, S., Nguyen, K., Bunevicius, A. & Girdler, S. (2015). Mindfulness-based stress reduction as a promising intervention for amelioration of premenstrual dysphoric disorder symptoms.

Mindfulness, 6 (6), 1292-1302.

Busse, J. W., Montori, V. M., Krasnik, C., Patelis-Siotis, I. & Guyatt, G. H. (2009). Psychological intervention for premenstrual syndrome: a meta-analysis of randomized controlled trials. *Psychotherapy and psychosomatics*, 78 (1), 6-15.

Comasco, E., Kopp Kallner, H., Bixo, M., Hirschberg, A. L., Nyback, S., De Grauw, H. et al. (2021). Ulipristal acetate for treatment of premenstrual dysphoric disorder: a proof-of-concept randomized controlled trial. *American Journal of Psychiatry*, 178 (3), 256-265.

Craner, J. R., Sigmon, S. T. & Young, M. A. (2016). Self-focused attention and symptoms across menstrual cycle phases in women with and without premenstrual disorders. *Cognitive Therapy and Research*, 40 (1), 118-127.

Dawson, D. N., Eisenlohr-Moul, T. A., Paulson, J. L., Peters, J. R., Rubinow, D. R. & Girdler, S. S. (2018). Emotion-related impulsivity and rumination predict the perimenstrual severity and trajectory of symptoms in women with a menstrually related mood disorder. *Journal of clinical psychology*, 74 (4), 579-593.

Ditzen, B., Nussbeck, F., Drobnjak, S., Spörri, C., Wüest, D. & Ehlert, U. (2011). Validierung eines deutschsprachigen DSM-IV-TR basierten Fragebogens zum prämenstruellen Syndrom. *Zeitschrift für Klinische Psychologie und Psychotherapie*, 40 (3), 149–159.

Dorn, A., Schwenkhausen, A. & Rohde, A. (2022). PMDS als Herausforderung: Die Prämenstruelle Dysphorische Störung als schwerste Form des PMS. Stuttgart: Kohlhammer.

Dorsch, V. (2018). Die prämenstruellen Syndrome PMS und PMDS: Prämenstruelle Dysphorische Störung – Mythos oder behandlungsbedürftige Störung. *Der Gynäkologe*, 51, 110-116.

Dorsch, V. & Rohde, A. (2017). Frauenspezifische psychische Störungen in der Psychiatrie. In H. J. Möller, G. Laux & H. P. Kapfhammer (Hrsg.), *Psychiatrie, Psychosomatik, Psychotherapie* (S. 2809-2828). Berlin: Springer.

Ehlert, U., Gaab, J. & Heinrichs, M. (2001). Psychoneuroendocrinological contributions to the etiology of depression, posttraumatic stress disorder, and stress-related bodily disorders: the role of the hypothalamus-pituitary-adrenal axis. *Biological psychology*, 57 (1-3), 141-152.

Eisenlohr-Moul, T. (2019). Premenstrual disorders: a primer and research agenda for psychologists. *The Clinical Psychologist*, 72 (1), 5-17.

Eisenlohr-Moul, T. A., Girdler, S. S., Schmalenberger, K. M., Dawson, D. N., Surana, P., Johnson, J. L. et al. (2017). Toward the reliable diagnosis of DSM-5 premenstrual dysphoric disorder: the Carolina Premenstrual Assessment Scoring System (C-PASS). *American Journal of Psychiatry*, 174 (1), 51-59.

Eisenlohr-Moul, T. A., Rubinow, D. R., Schiller, C. E., Johnson, J. L., Leserman, J. & Girdler, S. S. (2016). Histories of abuse predict stronger within-person covariation of ovarian steroids and mood symptoms in women with menstrually related mood disorder. *Psychoneuroendocrinology*, 67, 142-152.

Epperson, C. N., Steiner, M., Hartlage, S. A., Eriksson, E., Schmidt, P. J., Jones, I. et al. (2012). Premenstrual dysphoric disorder: evidence for a new category for DSM-5. *American Journal of Psychiatry*, 169 (5), 465-475.

- Endicott, J., Nee, J. & Harrison, W. (2006). Daily Record of Severity of Problems (DRSP): reliability and validity. *Archives of women's mental health*, 9 (1), 41-49.
- Frank, R. T. (1931). The hormonal causes of premenstrual tension. *Archives of neurology & psychiatry*, 26 (5), 1053-1057.
- Gao, M., Qiao, M., An, L., Wang, G., Wang, J., Song, C. et al. (2021). Brain reactivity to emotional stimuli in women with premenstrual dysphoric disorder and related personality characteristics. *Aging*, 13 (15), 19529-19541.
- Gao, M., Zhang, H., Gao, Z., Cheng, X., Sun, Y., Qiao, M. et al. (2022). Global and regional prevalence and burden for premenstrual syndrome and premenstrual dysphoric disorder: A study protocol for systematic review and meta-analysis. *Medicine*, 101 (1), e28528.
- Girdler, S. S., Leserman, J., Bunevicius, R., Klatzkin, R., Pedersen, C. A. & Light, K. C. (2007). Persistent alterations in biological profiles in women with abuse histories: influence of premenstrual dysphoric disorder. *Health psychology*, 26 (2), 201-213.
- Girdler, S. S., Sherwood, A., Hinderliter, A. L., Leserman, J., Costello, N. L., Straneva, P. A. et al. (2003). Biological correlates of abuse in women with premenstrual dysphoric disorder and healthy controls. *Psychosomatic medicine*, 65 (5), 849-856.
- Greene, R. & Dalton, K. (1953). The premenstrual syndrome. *British Medical Journal*, 1 (4818), 1007-1014.
- Han, J., Cha, Y. & Kim, S. (2019). Effect of psychosocial interventions on the severity of premenstrual syndrome: a meta-analysis. *Journal of Psychosomatic Obstetrics & Gynecology*, 40 (3), 176-184.
- Hantsoo, L. & Epperson, C. N. (2015). Premenstrual dysphoric disorder: epidemiology and treatment. *Current psychiatry reports*, 17 (11), 87.
- Hantsoo, L. & Riddle, J. (2021). Treatment of Premenstrual Dysphoric Disorder (PMDD): Advances and Challenges. *Advances in Psychiatry and Behavioral Health*, 1 (1), 91-106.
- Hartlage, S. A., Breaux, C. A. & Yonkers, K. A. (2014). Addressing concerns about the inclusion of premenstrual dysphoric disorder in DSM-5. *The Journal of clinical psychiatry*, 75 (1), 70-76.
- Hartlage, S. A. & Gehlert, S. (2001). Differentiating premenstrual dysphoric disorder from premenstrual exacerbations of other disorders: A methods dilemma. *Clinical Psychology: Science and Practice*, 8 (2), 242-253.
- Huang, Y., Zhou, R., Wu, M., Wang, Q. & Zhao, Y. (2015). Premenstrual syndrome is associated with blunted cortisol reactivity to the TSST. *Stress*, 18 (2), 160-168.
- Hunter, M. S., Ussher, J. M., Cariss, M., Browne, S., Jelley, R. & Katz, M. (2002). Medical (fluoxetine) and psychological (cognitive-behavioural therapy) treatment for premenstrual dysphoric disorder: a study of treatment processes. *Journal of Psychosomatic research*, 53 (3), 811-817.
- Janda, C., Kues, J. N., Andersson, G., Kleinstäuber, M. & Weise, C. (2017). A symptom diary to assess severe premenstrual syndrome and premenstrual dysphoric disorder. *Women & health*, 57 (7), 837-854.
- Kepple, A. L., Lee, E. E., Haq, N., Rubinow, D. R. & Schmidt, P. J. (2016). History of postpartum

depression in a clinic-based sample of women with premenstrual dysphoric disorder. *The Journal of clinical psychiatry*, 77 (4), e415-e420.

Kendler, K. S., Karkowski, L. M., Corey, L. A. & Neale, M. C. (1998). Longitudinal population-based twin study of retrospectively reported premenstrual symptoms and lifetime major depression. *American Journal of Psychiatry*, 155 (9), 1234–1240.

Kendler, K. S., Silberg, J. L., Neale, M.C., Kessler, R. C., Heath, A. C. & Eaves, L. J. (1992). Genetic and environmental factors in the aetiology of menstrual, premenstrual and neurotic symptoms: a population-based twin study. *Psychological Medicine*, 22 (1), 85-100.

Kleinstäuber, M., Witthöft, M., & Hiller, W. (2012). Cognitive-behavioral and pharmacological interventions for premenstrual syndrome or premenstrual dysphoric disorder: a meta-analysis. *Journal of clinical psychology in medical settings*, 19 (3), 308-319.

Kuehner, C. (2017). Why is depression more common among women than among men? *The Lancet Psychiatry*, 4 (2), 146-158.

Kuehner, C. & Nayman, S. (2021). Premenstrual exacerbations of mood disorders: Findings and knowledge gaps. *Current psychiatry reports*, 23, 78.

Kulkarni, J., Leyden, O., Gavrilidis, E., Thew, C. & Thomas, E. H. (2022). The prevalence of early life trauma in premenstrual dysphoric disorder (PMDD). *Psychiatry research*, 308, 114381.

Lopez, L. M., Kaptein, A. A. & Helmerhorst, F. M. (2012). Oral contraceptives containing drospirenone for premenstrual syndrome. *Cochrane database of systematic reviews*, 2, CD006586.

Lundin, C., Danielsson, K. G., Bixo, M., Moby, L., Bengtsdotter, H., Jawad, I. et al. (2017). Combined oral contraceptive use is associated with both improvement and worsening of mood in the different phases of the treatment cycle - a double-blind, placebo-controlled randomized trial. *Psychoneuroendocrinology*, 76, 135-143.

Martini, J., Wittchen, H. U., Soares, C. N., Rieder, A. & Steiner, M. (2009). New women-specific diagnostic modules: the Composite International Diagnostic Interview for Women (CIDI-VENUS). *Archives of women's mental health*, 12 (5), 281-289.

Mattina, G. F. & Steiner, M. (2020). Premenstrual dysphoric disorder. In J. Rennó Jr., G. Valadares, A. Cantilino, J. Mendes-Ribeiro, R. Rocha, & A. Geraldo da Silva (Hrsg.), *Women's mental health* (S. 73-93). Cham: Springer Nature Switzerland AG.

Miller, A., Vo, H., Huo, L., Roca, C., Schmidt, P. J. & Rubinow, D. R. (2010). Estrogen receptor alpha (ESR-1) associations with psychological traits in women with PMDD and controls. *Journal of psychiatric research*, 44 (12), 788-794.

Nayman, S., Beddig, T., Reinhard, I. & Kuehner, C. (under review). Effects of cognitive emotion regulation strategies on mood and cortisol in daily life in women with Premenstrual Dysphoric Disorder.

Osborn, E., Brooks, J., O'Brien, P. M. S. & Wittkowski, A. (2021). Suicidality in women with premenstrual dysphoric disorder: a systematic literature review. *Archives of women's mental health*, 24 (2), 173-184.

Osborn, E., Wittkowski, A., Brooks, J., Briggs, P. E. & O'Brien, P. S. (2020). Women's experiences of

receiving a diagnosis of premenstrual dysphoric disorder: a qualitative investigation. *BMC Women's Health*, 20 (1), 242.

Owens, S. A. & Eisenlohr-Moul, T. (2018). Suicide risk and the menstrual cycle: a review of candidate RDoC mechanisms. *Current psychiatry reports*, 20 (11), 106.

Pereira, D., Pessoa, A. R., Madeira, N., Macedo, A. & Pereira, A. T. (2021). Association between premenstrual dysphoric disorder and perinatal depression: a systematic review. *Archives of Women's Mental Health*, 25, 61-70.

Petersen, N., London, E. D., Liang, L., Ghahremani, D. G., Gerards, R., Goldman, L. et al. (2016). Emotion regulation in women with premenstrual dysphoric disorder. *Archives of women's mental health*, 19 (5), 891-898.

Pilver, C. E., Levy, B. R., Libby, D. J. & Desai, R. A. (2011). Posttraumatic stress disorder and trauma characteristics are correlates of premenstrual dysphoric disorder. *Archives of women's mental health*, 14 (5), 383-393.

Reed, G. M., First, M. B., Kogan, C. S., Hyman, S. E., Gureje, O., Gaebel, W. et al. (2019). Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. *World Psychiatry*, 18 (1), 3-19.

Rohde, A. (2019). PMS und PMDS – Behandlungsmöglichkeiten in der Frauenarztpraxis, wenn die psychischen Symptome im Vordergrund stehen. Deutsche Gesellschaft für Psychosomatische Frauenheilkunde und Geburtshilfe e.V. Verfügbar unter: <https://dgpfg.de/blog/https-dgpfg-de-wp-content-uploads-2019-05-gyne-2-19-pdf/> [24.02.2022].

Rohde, A., Dorn, A. & Hocke, A. (2017). *Psychosomatik in der Gynäkologie. Kompaktes Wissen – Konkretes Handeln*. Stuttgart: Schattauer.

Schmalenberger, K. M., Tauseef, H. A., Barone, J. C., Owens, S. A., Lieberman, L., Jarczok, M. N. et al. (2021). How to study the menstrual cycle: Practical tools and recommendations. *Psychoneuroendocrinology*, 123, 104895.

Schweizer-Schubert, S., Gordon, J. L., Eisenlohr-Moul, T. A., Meltzer-Brody, S., Schmalenberger, K. M., Slopian, R. et al. (2021). Steroid hormone sensitivity in reproductive mood disorders: on the role of the GABAA receptor complex and stress during hormonal transitions. *Frontiers in Medicine*, 7, 479646.

Segebladh, B., Borgström, A., Nyberg, S., Bixo, M. & Sundström-Poromaa, I. (2009). Evaluation of different add-back estradiol and progesterone treatments to gonadotropin-releasing hormone agonist treatment in patients with premenstrual dysphoric disorder. *American journal of obstetrics and gynecology*, 201 (2), 139-e1-139.e8.

Sepede, G., Brunetti, M. & Di Giannantonio, M. (2020). Comorbid premenstrual dysphoric disorder in women with bipolar disorder: management challenges. *Neuropsychiatric Disease and Treatment*, 16, 415-426.

Steiner, M., Macdougall, M. & Brown, E. (2003). The Premenstrual Symptoms Screening Tool (PSST) for clinicians. *Archives of Women's Mental Health*, 6 (3), 203-209.

Weise, C., Kaiser, G., Janda, C., Kues, J. N., Andersson, G., Strahler, J. et al. (2019). Internet-based cognitive-behavioural intervention for women with premenstrual dysphoric disorder: a randomized

controlled trial. *Psychotherapy and psychosomatics*, 88 (1), 16-29.

Wittchen, H. U., Becker, E., Lieb, R. & Krause, P. (2002). Prevalence, incidence and stability of premenstrual dysphoric disorder in the community. *Psychological medicine*, 32 (1), 119-132.

World Health Organization (WHO) (2019). ICD-11 for mortality and morbidity statistics (ICD-11 MMS). Verfügbar unter: <https://icd.who.int/browse11/l-m/en> [24.02.2022].

World Health Organization (WHO) (2022). GA34.41 Premenstrual dysphoric disorder. ICD-11 for Mortality and Morbidity Statistics (Version: 02/2022). Verfügbar unter: <https://icd.who.int/browse11/l-m/en> [24.02.2022].

Yen, J. Y., Lin, P. C., Huang, M. F., Chou, W. P., Long, C. Y. & Ko, C. H. (2020). Association between generalized anxiety disorder and premenstrual dysphoric disorder in a diagnostic interviewing study. *International Journal of Environmental Research and Public Health*, 17 (3), 988.

Yen, J. Y., Wang, P. W., Su, C. H., Liu, T. L., Long, C. Y. & Ko, C. H. (2018). Estrogen levels, emotion regulation, and emotional symptoms of women with premenstrual dysphoric disorder: The moderating effect of estrogen receptor 1 α polymorphism. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 82, 216-223.

Accortt, E. E., Bismark, A., Schneider, T. R. & Allen, J. J. (2011). Diagnosing premenstrual dysphoric disorder: the reliability of a structured clinical interview. *Archives of women's mental health*, 14 (3), 265-267.

Adam, E. K., Quinn, M. E., Tavernier, R., McQuillan, M. T., Dahlke, K. A. & Gilbert, K. E. (2017). Diurnal cortisol slopes and mental and physical health outcomes: A systematic review and meta-analysis. *Psychoneuroendocrinology*, 83, 25-41.

Alder, J. & Urech, C. (2014). *Psychotherapie in der Frauenheilkunde*. Göttingen: Hogrefe Verlag.

American Psychiatric Association (1987). *Diagnostic and statistical manual of mental disorders (Third edition revised)*. Washington, DC: American Psychiatric Association.

American Psychiatric Association (1994). *Diagnostic and statistical manual of mental disorders (Fourth edition)*. Washington, DC: American Psychiatric Association.

American Psychiatric Association (2013). *Diagnostic and statistical manual of mental disorders (Fifth edition)*. Arlington, VA: American Psychiatric Association.

Bäckström, T., Ekberg, K., Hirschberg, A. L., Bixo, M., Epperson, C. N., Briggs, P. et al. (2021). A randomized, double-blind study on efficacy and safety of sepranolone in premenstrual dysphoric disorder. *Psychoneuroendocrinology*, 133, 105426.

Beddig, T. & Kühner, C. (2017). Aktuelle Aspekte zur Prämenstruellen Dysphorischen Störung – Ein Überblick. *Psychotherapie, Psychosomatik, Medizinische Psychologie*, 67 (12), 504-513.

Beddig, T., Reinhard, I., Ebner-Priemer, U. & Kuehner, C. (2020). Reciprocal effects between cognitive and affective states in women with premenstrual dysphoric disorder: An Ecological Momentary Assessment study. *Behaviour research and therapy*, 131, 103613.

Beddig, T., Reinhard, I. & Kuehner, C. (2019). Stress, mood, and cortisol during daily life in women with premenstrual dysphoric disorder (PMDD). *Psychoneuroendocrinology*, 109, 104372.

- Beesdo-Baum, K., Zaudig, M. & Wittchen, H. U. (2019). SCID-5-CV. Strukturiertes Klinisches Interview für DSM-5[®]-Störungen – Klinische Version. Göttingen: Hogrefe.
- Bentz, D., Steiner, M. & Meinlschmidt, G. (2012). SIPS – Screening-Instrument für prämenstruelle Symptome: Die deutsche Version des Premenstrual Symptoms Screening Tool zur Erfassung klinisch relevanter Beschwerden. *Nervenarzt*, 83 (1), 33-39.
- Bluth, K., Gaylord, S., Nguyen, K., Bunevicius, A. & Girdler, S. (2015). Mindfulness-based stress reduction as a promising intervention for amelioration of premenstrual dysphoric disorder symptoms. *Mindfulness*, 6 (6), 1292-1302.
- Busse, J. W., Montori, V. M., Krasnik, C., Patelis-Siotis, I. & Guyatt, G. H. (2009). Psychological intervention for premenstrual syndrome: a meta-analysis of randomized controlled trials. *Psychotherapy and psychosomatics*, 78 (1), 6-15.
- Comasco, E., Kopp Kallner, H., Bixo, M., Hirschberg, A. L., Nyback, S., De Grauw, H. et al. (2021). Ulipristal acetate for treatment of premenstrual dysphoric disorder: a proof-of-concept randomized controlled trial. *American Journal of Psychiatry*, 178 (3), 256-265.
- Craner, J. R., Sigmon, S. T. & Young, M. A. (2016). Self-focused attention and symptoms across menstrual cycle phases in women with and without premenstrual disorders. *Cognitive Therapy and Research*, 40 (1), 118-127.
- Dawson, D. N., Eisenlohr-Moul, T. A., Paulson, J. L., Peters, J. R., Rubinow, D. R. & Girdler, S. S. (2018). Emotion-related impulsivity and rumination predict the perimenstrual severity and trajectory of symptoms in women with a menstrually related mood disorder. *Journal of clinical psychology*, 74 (4), 579-593.
- Ditzen, B., Nussbeck, F., Drobnyak, S., Spörri, C., Wüest, D. & Ehlert, U. (2011). Validierung eines deutschsprachigen DSM-IV-TR basierten Fragebogens zum prämenstruellen Syndrom. *Zeitschrift für Klinische Psychologie und Psychotherapie*, 40 (3), 149–159.
- Dorn, A., Schwenkhagen, A. & Rohde, A. (2022). PMDS als Herausforderung: Die Prämenstruelle Dysphorische Störung als schwerste Form des PMS. Stuttgart: Kohlhammer.
- Dorsch, V. (2018). Die prämenstruellen Syndrome PMS und PMDS: Prämenstruelle Dysphorische Störung – Mythos oder behandlungsbedürftige Störung. *Der Gynäkologe*, 51, 110-116.
- Dorsch, V. & Rohde, A. (2017). Frauenspezifische psychische Störungen in der Psychiatrie. In H. J. Möller, G. Laux & H. P. Kapfhammer (Hrsg.), *Psychiatrie, Psychosomatik, Psychotherapie* (S. 2809-2828). Berlin: Springer.
- Ehlert, U., Gaab, J. & Heinrichs, M. (2001). Psychoneuroendocrinological contributions to the etiology of depression, posttraumatic stress disorder, and stress-related bodily disorders: the role of the hypothalamus-pituitary-adrenal axis. *Biological psychology*, 57 (1-3), 141-152.
- Eisenlohr-Moul, T. (2019). Premenstrual disorders: a primer and research agenda for psychologists. *The Clinical Psychologist*, 72 (1), 5-17.
- Eisenlohr-Moul, T. A., Girdler, S. S., Schmalenberger, K. M., Dawson, D. N., Surana, P., Johnson, J. L. et al. (2017). Toward the reliable diagnosis of DSM-5 premenstrual dysphoric disorder: the Carolina Premenstrual Assessment Scoring System (C-PASS). *American Journal of Psychiatry*, 174 (1), 51-59.

- Eisenlohr-Moul, T. A., Rubinow, D. R., Schiller, C. E., Johnson, J. L., Leserman, J. & Girdler, S. S. (2016). Histories of abuse predict stronger within-person covariation of ovarian steroids and mood symptoms in women with menstrually related mood disorder. *Psychoneuroendocrinology*, 67, 142-152.
- Epperson, C. N., Steiner, M., Hartlage, S. A., Eriksson, E., Schmidt, P. J., Jones, I. et al. (2012). Premenstrual dysphoric disorder: evidence for a new category for DSM-5. *American Journal of Psychiatry*, 169 (5), 465-475.
- Endicott, J., Nee, J. & Harrison, W. (2006). Daily Record of Severity of Problems (DRSP): reliability and validity. *Archives of women's mental health*, 9 (1), 41-49.
- Frank, R. T. (1931). The hormonal causes of premenstrual tension. *Archives of neurology & psychiatry*, 26 (5), 1053-1057.
- Gao, M., Qiao, M., An, L., Wang, G., Wang, J., Song, C. et al. (2021). Brain reactivity to emotional stimuli in women with premenstrual dysphoric disorder and related personality characteristics. *Aging*, 13 (15), 19529-19541.
- Gao, M., Zhang, H., Gao, Z., Cheng, X., Sun, Y., Qiao, M. et al. (2022). Global and regional prevalence and burden for premenstrual syndrome and premenstrual dysphoric disorder: A study protocol for systematic review and meta-analysis. *Medicine*, 101 (1), e28528.
- Girdler, S. S., Leserman, J., Bunevicius, R., Klatzkin, R., Pedersen, C. A. & Light, K. C. (2007). Persistent alterations in biological profiles in women with abuse histories: influence of premenstrual dysphoric disorder. *Health psychology*, 26 (2), 201-213.
- Girdler, S. S., Sherwood, A., Hinderliter, A. L., Leserman, J., Costello, N. L., Straneva, P. A. et al. (2003). Biological correlates of abuse in women with premenstrual dysphoric disorder and healthy controls. *Psychosomatic medicine*, 65 (5), 849-856.
- Greene, R. & Dalton, K. (1953). The premenstrual syndrome. *British Medical Journal*, 1 (4818), 1007-1014.
- Han, J., Cha, Y. & Kim, S. (2019). Effect of psychosocial interventions on the severity of premenstrual syndrome: a meta-analysis. *Journal of Psychosomatic Obstetrics & Gynecology*, 40 (3), 176-184.
- Hantsoo, L. & Epperson, C. N. (2015). Premenstrual dysphoric disorder: epidemiology and treatment. *Current psychiatry reports*, 17 (11), 87.
- Hantsoo, L. & Riddle, J. (2021). Treatment of Premenstrual Dysphoric Disorder (PMDD): Advances and Challenges. *Advances in Psychiatry and Behavioral Health*, 1 (1), 91-106.
- Hartlage, S. A., Breaux, C. A. & Yonkers, K. A. (2014). Addressing concerns about the inclusion of premenstrual dysphoric disorder in DSM-5. *The Journal of clinical psychiatry*, 75 (1), 70-76.
- Hartlage, S. A. & Gehlert, S. (2001). Differentiating premenstrual dysphoric disorder from premenstrual exacerbations of other disorders: A methods dilemma. *Clinical Psychology: Science and Practice*, 8 (2), 242-253.
- Huang, Y., Zhou, R., Wu, M., Wang, Q. & Zhao, Y. (2015). Premenstrual syndrome is associated with blunted cortisol reactivity to the TSST. *Stress*, 18 (2), 160-168.
- Hunter, M. S., Ussher, J. M., Cariss, M., Browne, S., Jelley, R. & Katz, M. (2002). Medical (fluoxetine)

and psychological (cognitive-behavioural therapy) treatment for premenstrual dysphoric disorder: a study of treatment processes. *Journal of Psychosomatic research*, 53 (3), 811-817.

Janda, C., Kues, J. N., Andersson, G., Kleinstäuber, M. & Weise, C. (2017). A symptom diary to assess severe premenstrual syndrome and premenstrual dysphoric disorder. *Women & health*, 57 (7), 837-854.

Kepple, A. L., Lee, E. E., Haq, N., Rubinow, D. R. & Schmidt, P. J. (2016). History of postpartum depression in a clinic-based sample of women with premenstrual dysphoric disorder. *The Journal of clinical psychiatry*, 77 (4), e415-e420.

Kendler, K. S., Karkowski, L. M., Corey, L. A. & Neale, M. C. (1998). Longitudinal population-based twin study of retrospectively reported premenstrual symptoms and lifetime major depression. *American Journal of Psychiatry*, 155 (9), 1234–1240.

Kendler, K. S., Silberg, J. L., Neale, M.C., Kessler, R. C., Heath, A. C. & Eaves, L. J. (1992). Genetic and environmental factors in the aetiology of menstrual, premenstrual and neurotic symptoms: a population-based twin study. *Psychological Medicine*, 22 (1), 85-100.

Kleinstäuber, M., Witthöft, M., & Hiller, W. (2012). Cognitive-behavioral and pharmacological interventions for premenstrual syndrome or premenstrual dysphoric disorder: a meta-analysis. *Journal of clinical psychology in medical settings*, 19 (3), 308-319.

Kuehner, C. (2017). Why is depression more common among women than among men? *The Lancet Psychiatry*, 4 (2), 146-158.

Kuehner, C. & Nayman, S. (2021). Premenstrual exacerbations of mood disorders: Findings and knowledge gaps. *Current psychiatry reports*, 23, 78.

Kulkarni, J., Leyden, O., Gavrilidis, E., Thew, C. & Thomas, E. H. (2022). The prevalence of early life trauma in premenstrual dysphoric disorder (PMDD). *Psychiatry research*, 308, 114381.

Lopez, L. M., Kaptein, A. A. & Helmerhorst, F. M. (2012). Oral contraceptives containing drospirenone for premenstrual syndrome. *Cochrane database of systematic reviews*, 2, CD006586.

Lundin, C., Danielsson, K. G., Bixo, M., Moby, L., Bengtsdotter, H., Jawad, I. et al. (2017). Combined oral contraceptive use is associated with both improvement and worsening of mood in the different phases of the treatment cycle - a double-blind, placebo-controlled randomized trial. *Psychoneuroendocrinology*, 76, 135-143.

Martini, J., Wittchen, H. U., Soares, C. N., Rieder, A. & Steiner, M. (2009). New women-specific diagnostic modules: the Composite International Diagnostic Interview for Women (CIDI-VENUS). *Archives of women's mental health*, 12 (5), 281-289.

Mattina, G. F. & Steiner, M. (2020). Premenstrual dysphoric disorder. In J. Rennó Jr., G. Valadares, A. Cantilino, J. Mendes-Ribeiro, R. Rocha, & A. Geraldo da Silva (Hrsg.), *Women's mental health* (S. 73-93). Cham: Springer Nature Switzerland AG.

Miller, A., Vo, H., Huo, L., Roca, C., Schmidt, P. J. & Rubinow, D. R. (2010). Estrogen receptor alpha (ESR-1) associations with psychological traits in women with PMDD and controls. *Journal of psychiatric research*, 44 (12), 788-794.

Nayman, S., Beddig, T., Reinhard, I. & Kuehner, C. (under review). Effects of cognitive emotion regulation strategies on mood and cortisol in daily life in women with Premenstrual Dysphoric Disorder.

Osborn, E., Brooks, J., O'Brien, P. M. S. & Wittkowski, A. (2021). Suicidality in women with premenstrual dysphoric disorder: a systematic literature review. *Archives of women's mental health*, 24 (2), 173-184.

Osborn, E., Wittkowski, A., Brooks, J., Briggs, P. E. & O'Brien, P. S. (2020). Women's experiences of receiving a diagnosis of premenstrual dysphoric disorder: a qualitative investigation. *BMC Women's Health*, 20 (1), 242.

Owens, S. A. & Eisenlohr-Moul, T. (2018). Suicide risk and the menstrual cycle: a review of candidate RDoC mechanisms. *Current psychiatry reports*, 20 (11), 106.

Pereira, D., Pessoa, A. R., Madeira, N., Macedo, A. & Pereira, A. T. (2021). Association between premenstrual dysphoric disorder and perinatal depression: a systematic review. *Archives of Women's Mental Health*, 25, 61-70.

Petersen, N., London, E. D., Liang, L., Ghahremani, D. G., Gerards, R., Goldman, L. et al. (2016). Emotion regulation in women with premenstrual dysphoric disorder. *Archives of women's mental health*, 19 (5), 891-898.

Pilver, C. E., Levy, B. R., Libby, D. J. & Desai, R. A. (2011). Posttraumatic stress disorder and trauma characteristics are correlates of premenstrual dysphoric disorder. *Archives of women's mental health*, 14 (5), 383-393.

Reed, G. M., First, M. B., Kogan, C. S., Hyman, S. E., Gureje, O., Gaebel, W. et al. (2019). Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. *World Psychiatry*, 18 (1), 3-19.

Rohde, A. (2019). PMS und PMDS – Behandlungsmöglichkeiten in der Frauenarztpraxis, wenn die psychischen Symptome im Vordergrund stehen. Deutsche Gesellschaft für Psychosomatische Frauenheilkunde und Geburtshilfe e.V. Verfügbar unter: <https://dgpfg.de/blog/https-dgpfg-de-wp-content-uploads-2019-05-gyne-2-19-pdf/> [24.02.2022].

Rohde, A., Dorn, A. & Hocke, A. (2017). *Psychosomatik in der Gynäkologie. Kompaktes Wissen – Konkretes Handeln*. Stuttgart: Schattauer.

Schmalenberger, K. M., Tauseef, H. A., Barone, J. C., Owens, S. A., Lieberman, L., Jarczok, M. N. et al. (2021). How to study the menstrual cycle: Practical tools and recommendations. *Psychoneuroendocrinology*, 123, 104895.

Schweizer-Schubert, S., Gordon, J. L., Eisenlohr-Moul, T. A., Meltzer-Brody, S., Schmalenberger, K. M., Slopian, R. et al. (2021). Steroid hormone sensitivity in reproductive mood disorders: on the role of the GABAA receptor complex and stress during hormonal transitions. *Frontiers in Medicine*, 7, 479646.

Segebladh, B., Borgström, A., Nyberg, S., Bixo, M. & Sundström-Poromaa, I. (2009). Evaluation of different add-back estradiol and progesterone treatments to gonadotropin-releasing hormone agonist treatment in patients with premenstrual dysphoric disorder. *American journal of obstetrics and gynecology*, 201 (2), 139-e1-139.e8.

Sepede, G., Brunetti, M. & Di Giannantonio, M. (2020). Comorbid premenstrual dysphoric disorder in

women with bipolar disorder: management challenges. *Neuropsychiatric Disease and Treatment*, 16, 415-426.

Steiner, M., Macdougall, M. & Brown, E. (2003). The Premenstrual Symptoms Screening Tool (PSST) for clinicians. *Archives of Women's Mental Health*, 6 (3), 203-209.

Weise, C., Kaiser, G., Janda, C., Kues, J. N., Andersson, G., Strahler, J. et al. (2019). Internet-based cognitive-behavioural intervention for women with premenstrual dysphoric disorder: a randomized controlled trial. *Psychotherapy and psychosomatics*, 88 (1), 16-29.

Wittchen, H. U., Becker, E., Lieb, R. & Krause, P. (2002). Prevalence, incidence and stability of premenstrual dysphoric disorder in the community. *Psychological medicine*, 32 (1), 119-132.

World Health Organization (WHO) (2019). ICD-11 for mortality and morbidity statistics (ICD-11 MMS). Verfügbar unter: <https://icd.who.int/browse11/l-m/en> [24.02.2022].

World Health Organization (WHO) (2022). GA34.41 Premenstrual dysphoric disorder. ICD-11 for Mortality and Morbidity Statistics (Version: 02/2022). Verfügbar unter: <https://icd.who.int/browse11/l-m/en> [24.02.2022].

Yen, J. Y., Lin, P. C., Huang, M. F., Chou, W. P., Long, C. Y. & Ko, C. H. (2020). Association between generalized anxiety disorder and premenstrual dysphoric disorder in a diagnostic interviewing study. *International Journal of Environmental Research and Public Health*, 17 (3), 988.

Yen, J. Y., Wang, P. W., Su, C. H., Liu, T. L., Long, C. Y. & Ko, C. H. (2018). Estrogen levels, emotion regulation, and emotional symptoms of women with premenstrual dysphoric disorder: The moderating effect of estrogen receptor 1 α polymorphism. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 82, 216-223.